

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: L 015

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023 to 01-09-2024**

Replaces annex dated: **28-06-2023**

Location(s) where activities are performed under accreditation

Head Office

Sir Winston Churchill-laan 273
2288 EA
Rijswijk
The Netherlands

| Location | Abbreviation/ location code |
|--|------------------------------------|
| Sir Winston Churchill-laan 273 2288 EA Rijswijk The Netherlands | RIJ |
| Wilmersdorf 50 7327 AC Apeldoorn The Netherlands | AP |
| Room 209, No. 46, Nanxiang 3 rd Road Luogang District, Guangzhou 510663 China | GZ |
| Via Cadriano 23 40057 Granarolo dell'Emilia BO Bologna Italy | BO |
| Mobile lab | MO |

This annex has been approved by the Board of the
Dutch Accreditation Council, on its behalf,

J.A.W.M. de Haas

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: L 015

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023 to 01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|------------------------|--|--|----------|
| 1 | Plastic-piping systems | Determination of the resistance to internal pressure | NEN-EN-ISO 1167-1 NEN-EN-ISO 1167-2 NEN-EN-ISO 1167-3 NEN-EN-ISO 1167-4 | AP, BO |
| 2 | | Determination of tensile properties | EN ISO 6259-1 EN ISO 6259-2 EN ISO 6259-3 | AP, BO |
| 3 | | Determination of the melt mass-flow rate (MFR) | EN ISO 1133-1 | AP, BO |
| 4 | | Determination of oxidation induction time | NEN-EN 728 EN ISO 11357-6 | AP |
| | | | EN ISO 11357-6 | BO |
| 5 | | Determination of the temperature and enthalpy of melting and crystallization | EN ISO 11357-3 | AP |
| 6 | | Effects of heating on pipes - Longitudinal reversion | NEN-EN-ISO 2505 | AP, BO |
| 7 | | Effects of heating on fittings - Methods for visually assessing the effects of heating | EN ISO 580 | AP |
| 8 | | Determination of pendulum impact strength by the Charpy method | ISO 9854 | AP |
| 9 | | Determination of Vicat softening temperature (VST) | NEN-EN-ISO 306 ISO 2507-1 ISO 2507-2 ISO 2507-3 | AP, BO |
| 10 | | Determination of dimensions of plastic pipes and plastics components | NEN-EN-ISO 3126 | AP, BO |
| 11 | | Determination of the long-term hydrostatic strength by extrapolation | NEN-EN-ISO 9080 | AP |

¹ If there is a referral to a code starting with NAW, NAP, EA or IAF, this concerns a scheme mentioned on the [RvA-BR010-lijst](#).

If no date or version number is mentioned for a normative document, the accreditation concerns the most current version of the document or scheme.

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: L 015

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023 to 01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|---|---|---|----------|
| 12 | Plastic-piping systems | Determination of the adhesion force of multilayer pipes by using a pulling rig | DVGW W542 § 4.5.8 DVGW W542 § 4.5.9.2 ISO 17454 | AP |
| 13 | | Determination of creep ratio | DVGW W542 § 4.5.8 DVGW W542 § 4.5.9.2 | BO |
| 14 | | Determination of ring stiffness | EN ISO 9967 | AP |
| 15 | Insulation materials | Determination of thermal resistance | NEN-EN 12667 NEN-EN 12939 NEN-EN 12664 | AP |
| 16 | Plastic pipes and other devices fabricated of PVC-U | Performance tests as mentioned in DVGW GW335-A1: 2003. Determination of: <ul style="list-style-type: none">• the general impression,• the surface condition,• the colour,• the dimensions and tolerances,• the impact strength ,• the effects of heating ,• the resistance to dichloromethane,• the Vicat softening temperature,• the resistance to internal pressure. | DVGW GW335-A1 § 5.4.1 DIN 8062, EN 1452 DVGW GW335-A1 § 5.4.3 EN ISO 3126 EN 744 EN ISO 2505 NEN-EN-ISO 9852 EN ISO 2507-1 EN ISO 2507-2 EN ISO 2507-3 EN ISO 1167 | AP |
| | | | DVGW GW335-A1 § 5.4.1, § 5.4.3 EN ISO 2505 EN ISO 2507-1 EN ISO 2507-2 EN ISO 2507-3 EN ISO 3126 EN ISO 6259-1 EN ISO 6259-2 EN ISO 6259-3 EN ISO 1167-1 EN ISO 1167-2 EN ISO 1167-3 EN ISO 1167-4 EN ISO 1452 | BO |

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: L 015

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023 to 01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|--|--|---|--------------|
| 17 | Plastic pipes fabricated of PE80 and PE100 | <p>Performance tests as mentioned in DVGW GW335-A2: 2005. Determination of:</p> <ul style="list-style-type: none"> • the melt mass-flow rate, • dry weight loss, • the homogeneity of the pipe material, • the colour, • the weather resistance, -pressing test and pulling test, • the thermal stability by OIT, • the slow crack growth (Notch test), • the rapid crack propagation (RCP), • the general impression, • the surface condition, • the colour, • the dimensions and tolerances, • the effects of heating, • the homogeneity of the pipe material, • the resistance to internal pressure, • the tensile properties | EN ISO 1133 DVGW GW335-A2 § 5.2.2 DVGW GW335-A2 § 5.2.3 DVGW GW335-A2 § 5.2.5 EN 921, EN ISO 6259 EN 728 EN ISO 11357-6 EN ISO 13479 EN ISO 13477 DVGW GW335-A2 § 5.4.1 DVGW GW335-A2 § 5.4.2 DVGW GW335-A2 § 5.4.3 EN ISO 3126 EN ISO 2505 DVGW GW335-A2 § 5.4.6 EN ISO 1167 EN ISO 6259-1 EN ISO 1133-1 EN ISO 3126 EN ISO 6259-1 EN ISO 6259-2 EN ISO 6259-3 EN ISO 1167-1 EN ISO 1167-2 EN ISO 1167-3 EN ISO 1167-4 EN ISO 2505 EN ISO 11357-6 | AP BO |

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: L 015

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023 to 01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|-----------------------------------|---|--|----------|
| 18 | Plastic pipes fabricated of PE-Xa | <p>Performance tests as mentioned in DVGW GW335-A3: 2003. Determination of:</p> <ul style="list-style-type: none"> • the melt mass-flow rate • dry weight content • the homogeneity of the pipe material • the colour, • the weather resistance, -pressing test and pulling test, • the thermal stability by OIT, • the rapid crack propagation (RCP), • the general impression, • the surface condition, • the colour, • the dimensions and tolerances, • the degree of crosslinking • the effects of heating, • the homogeneity of the pipe material, • the resistance to internal pressure. | EN ISO 1133 DVGW GW335-A3 § 4.2.2 DVGW GW335-A3 § 4.2.3 DVGW GW335-A3 § 4.2.5 EN 921, EN ISO 6259 NEN-EN 728 EN ISO 11357-6, EN ISO 13477, DVGW GW335-A3 § 4.4.1 DVGW GW335-A3 § 4.4.2 DVGW GW335-A3 § 4.4.3 EN ISO 3126 DIN 16892 EN ISO 2505 DVGW GW335-A3 § 4.4.7, EN ISO 1167 | AP |
| | | | EN ISO 1133-1 EN ISO 3126 EN ISO 6259-1 EN ISO 6259-2 EN ISO 6259-3 EN ISO 1167-1 EN ISO 1167-2 EN ISO 1167-3 EN ISO 1167-4 EN ISO 2505 EN ISO 11357-6 | BO |

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: **L 015**

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023 to 01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|--|---|---|----------|
| 19 | Plastic devices fabricated of PE80 and PE100 | <p>Performance tests as mentioned in DVGW GW335-B2: 2004. Determination of:</p> <ul style="list-style-type: none"> • the melt mass-flow rate, • dry weight content, • the homogeneity of the pipe material, • the colour, • the weather resistance, -pressing test and pulling test, • the thermal stability by OIT, • the slow crack growth (Notch test), • the rapid crack propagation (RCP), • the general impression, • the surface condition, • the colour, • the dimensions and tolerances, • the effects of heating, • the resistance to internal pressure, • the crushing decohesion for electrofusion assemblies. | EN ISO 1133 DVGW GW335-B2 § 5.2.2 DVGW GW335-B2 § 5.2.3 DVGW GW335-B2 § 5.2.5 EN 921, EN ISO 6259 NEN-EN 728 EN ISO 11357-6 EN ISO 13479 ISO 13477 DVGW GW335-A2 § 5.4.1 DVGW GW335-B2 § 5.4.2 DVGW GW335-B2 § 5.4.5 EN ISO 3126 EN ISO 2505 EN ISO 1167 ISO 13955 | AP |
| | | | EN ISO 1133-1 EN ISO 3126 EN ISO 6259-1 EN ISO 6259-2 EN ISO 6259-3 EN ISO 1167-1 EN ISO 1167-2 EN ISO 1167-3 EN ISO 1167-4 EN ISO 2505 EN ISO 11357-6 | BO |

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: L 015

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023 to 01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|--|--|---|----------|
| 20 | Multi-layered pipes in the drinking water installation | <p>Performance tests as mentioned in DVGW W542: 2009. Determination of:</p> <ul style="list-style-type: none"> • the melt mass-flow rate, • the dry weight content, • the melting temperature, • the surface condition, the dimensions and tolerances, • the effects of heating, • the cone test, • the resistance to internal pressure, • the degree of cross linking, • the adhesion strength, • the immersion temperature cycling test, • the adhesion strength after aging, • the visual aspects of the aluminium surface. | EN ISO 1133 DVGW W542:2009 ISO 11357-3:1999.1 DIN 8075, DIN 16892 DIN 8078, DIN 16968 EN ISO 3126 EN ISO 2505 DVGW W542:2009 § 4.4.5 EN ISO 1167 DIN 16892 DVGW W542:2009 § 4.5.8 DIN 55543-5 EN 12293:2000 in water, DVGW W542:2009 § 4.5.9.1 DIN 53357 DVGW W542:2009 § 4.5.9.2 DVGW W542:2009 § 4.5.9.3 DIN 53357 | AP |
| | | | DVGW W542:2009 § 4.4.5, § 4.5.8, § 4.5.9.1, § 4.5.9.2, § 4.5.9.3, EN ISO 2505, EN ISO 1133-1 EN ISO 3126 EN ISO 1167-1 EN ISO 1167-2 EN ISO 1167-3 EN ISO 1167-4 | BO |

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: L 015

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023 to 01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|--|--|---|----------|
| 21 | Plastic pipes in the drinking water installation | <p>Performance tests as mentioned in DVGW W544: 2007. Determination of:</p> <ul style="list-style-type: none"> • the melt mass-flow rate, • the dry weight content, • the delivery condition, • the surface condition, • the dimensions and tolerances, • the effects of heating, • the degree of cross linking, • the resistance to internal pressure, • the homogeneity of the pipe material, • the melt mass-flow rate of the pipe, • the impact resistance, • the ageing of the pipe material, • the Vicat softening temperature. | EN ISO 1133 DVGW W544 § 5.1.1.2 DVGW W544 § 5.1.1 DVGW W544 § 7.1.3 DIN 16968, DIN 8078 DIN 8080, DIN 16892 DIN 16968, DIN 8078 DIN 8080, DIN 16892 EN ISO 3126, DIN 8078 DIN 16968, EN ISO 2505 DIN 8078, DIN 16892 DIN 8080, ISO 2505 DIN 16892 EN ISO 1167, DVGW W544 § 5.1. DVGW W544 § 7.1.8., EN ISO 1133 DIN 8078, EN 744 ISO 9854, DIN 8080 DVGW W544 § 6.2.9 DIN 8080, EN ISO 306 | AP |
| | | | DVGW W544: § 4.2.1.2, § 4.2.1.3, § 6.2.1.3, § 6.2.8, § 6.2.9 EN ISO 306, EN ISO 2505, EN ISO 1133-1 EN ISO 3126 EN ISO 1167-1 EN ISO 1167-2 EN ISO 1167-3 EN ISO 1167-4 | BO |
| 22 | Plastic piping systems | Determination of the resistance of mounted assemblies to temperature cycling | NEN-EN 12293 EN ISO 19893 WRAS test & acceptance criteria 1212.6, 1212.10 | AP |
| | | | EN ISO 19893 | BO |
| 23 | | Determination of the leak tightness under vacuum | NEN-EN 12294 EN ISO 13056 | AP |
| | | | EN ISO 13056 | BO |

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: L 015

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023 to 01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|------------------------|--|---|----------|
| 24 | Plastic piping systems | Determination of the resistance to pull-out under constant longitudinal force | EN ISO 3501 WRAS test & acceptance criteria 1314-1, 1314-7, 1314-8, 1314-9, 1314-10, 1314-11, 1314-12, 1314-13, 1314-14, 1314-15 | AP |
| | | | EN ISO 3501 | BO |
| 25 | Plastic piping systems | Determination of the resistance to elevated temperature cycling for sewage systems | NEN-EN 1055 EN ISO 13257 | AP |
| | | | EN ISO 13257 | BO |
| 26 | Plastic piping systems | Determination of behaviour under cyclic movement | DVGW W534 § 12.7 EN 1254-20:2021 § 9 | AP |
| 27 | | Determination of behaviour in twisting motion criteria | DVGW W534 § 12.8 | AP |
| 28 | | Determination of behaviour in the cyclic bending test | DVGW W534 § 12.9 | AP |
| 29 | | Determination of leak tightness under pressure while subjected to bending | NEN-EN-ISO 3503 | AP, BO |
| 30 | Rubber/TPE | Determination of hardness | ISO 48 | AP |
| 31 | | Determination of tensile stress-strain properties | ISO 37 | AP |
| 32 | | Determination of tear strength | ISO 34 | AP |
| 33 | | Determination of compression set | ISO 815-1 ISO 815-2 | AP |
| 34 | | Determination accelerated aging or heat resistance | ISO 188 | AP |
| 35 | | Determination of stress relaxation in compression | ISO 3384 | AP |
| 36 | | Determination of the effect of liquids | ISO 1817 | AP |
| 37 | | Determination of density | ISO 2781 | AP |

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: L 015

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023 to 01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|---------------------|---|--|----------|
| 38 | Rubber/TPE | Determination of the resistance to ozone cracking | ISO 1431-1 (only static strain testing) | AP |
| 39 | | Performance tests as mentioned in NEN-EN 681-1 Determination of: <ul style="list-style-type: none">• Tensile stress-strain properties• Hardness• Accelerated aging and heat resistance• Compression set• The resistance to ozone cracking• The effect of liquids• Stress relaxation in compression-testing at constant temperature | ISO 37 ISO 48 ISO 188 ISO 815-1 and ISO 815-2 ISO 1431-1 (Static strain testing) ISO 1817 ISO 3384 | AP |

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: **L 015**

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023** to **01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|--|-------------------------------|--|----------|
| 40 | Fittings and piping systems in the drinking water installation | | EN ISO 9080 NEN-EN-ISO 9852 EN ISO 306 EN ISO 1133 DIN 16892 DVGW W534 § 10.2.8 EN ISO 2578 EN 681-1 DVGW W534 § 10.3 EN ISO 1167 EN ISO 1167 EN 10226 DVGW W534 § 12.2 EN ISO 1167 EN 12294 EN ISO 13056 EN 12295 EN ISO 19892 EN 12293 EN ISO 19893 EN 1254-20: 2021 § 9 DVGW W534 § 12.7 DVGW W534 § 12.8 DVGW W534 § 12.9 EN ISO 1167 EN ISO 3501 EN ISO 3503 EN ISO 1167 | AP |

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: L 015

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023** to **01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|---------------------|--|---|----------|
| | | <p>Performance tests as mentioned in DVGW W534:2004</p> <p>Determination of:</p> <ul style="list-style-type: none">• the long-term behaviour of material,• the effects of heating,• the Vicat softening temperature,• the melt flow index,• the degree of cross linking,• the resistance to hydrolysis,• the thermal ageing,• the properties of elastomeric sealing elements,• the castings (density test),• the pressure testing on the jointing,• the dimensions and tolerances of the joints,• the surface condition and homogeneity,• the behaviour in case of overpressure,• the leak tightness under vacuum,• the pressure cycling,• the thermal cycling test,• the behaviour under cyclic movement,• the behaviour in twisting motion criteria,• the behaviour in the cyclic bending test,• the long-term internal pressure test,• the pull-out resistance,• the bending test,• the unpressed leakage test by pressure testing. | <p>EN ISO 1167-1 EN ISO 1167-2 EN ISO 1167-3 EN ISO 1167-4 EN ISO 306 EN ISO 1133-1 EN ISO 3501 EN ISO 3503</p> | BO |

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: L 015

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023 to 01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|---|---|--|----------|
| 41 | Tap ware, industrial boiler fittings, pressure reduction valves, relieve valves, expansion reservoir, metal pipes, piping systems, anti pollution devices and heating devices | Determination of watertightness, pressure pick-up probe | EN 200, EN 816, EN 817, EN 1074, EN 1074-2 A1, EN 1074-3, EN 1111, EN 1213, EN 1254, EN 1287, EN 1567, EN 13828, EN 14124, NHS D08, AS/NZS 3718, AS/NZS 4032.1, AS/NZS 3499, AS 1172.2, NEN-EN 1113, NEN-EN 13618, NEN-EN 13828, NEN-EN 16145, NEN-EN 15091, NEN-EN 14124, NEN-EN 1112, WRAS test & acceptance criteria 1111.1, 1111.2, 1111.3, 1111.4, 1111.5, 1111.6, 1111.7, 1111.8, 1111.9, 1111.10, 1111.11, 1111.12, 1111.13, 1111.14, 1111.15, 1111.16, 1111.17, 1111.18, 1111.19, 1111.20, 1111.21, 1111.22, 1111.23, 1112.1, 1112.2, 1112.3, 1112.4, 1112.5, 1112.6, 1112.7, 1112.8, 1112.9, 1112.11, 1112.12, 1112.14, 1112.15, 1112.17, 1113.1, 1113.2, 1113.5, DVGW W574 | RIJ |
| | | EN 200, EN 817, EN 1111, DVGW W574 | GZ | |

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: L 015

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023 to 01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|---|--|--|----------|
| 42 | Tap ware, aerators, kitchen sinks | Determination of the volume flow rate; pressure pick-up probe; digital Q-meter and data logger | EN 200, EN 246, EN 816, EN 817, EN 1111, EN 1287, EN 1213, EN 13828, EN 14124, NHS D08, AS/NZS 3718, AS/NZS 3662, NEN-EN 1112, NEN-EN 1113, NEN-EN 15091, NEN-EN 16145 WRAS test & acceptance criteria 1511.2, 1511.4, 1511.5 In accordance with AS-NZS 3718 paragraph 2.6 and testing against specifications in accordance with AS/NZS 6400 paragraph 3, DVGW W574 NEN-EN 13310 + A1 | RIJ |
| | | | EN 200, EN 817, EN 1111, DVGW W574 | GZ |
| 43 | Sanitary tap ware | Determination of the mixing water temperature; thermometer and data logger | EN 817, EN 1111, EN 1287, NHS D08, AS/NZS 4032.1, AS/NZS 3662, DVGW W574 | RIJ |
| | | | EN 817, EN 1111, DVGW W574 | GZ |
| 44 | Sanitary tap ware, flushing devices, anti pollution devices, hot water storage vessels, flexible connecting hoses, kitchen sinks | Determination of mechanical endurance; automatic test methods | EN 200, EN 816, EN 817, EN 1111, EN 1213, EN 1287, EN 13828, EN 13959, EN 14124, AS/NZS 3718, AS 1172.2, NEN-EN 14055, NEN-EN 997, NEN-EN 15091, AS 5200.037.2 WRAS test & acceptance criteria 1211.1, 1211.2, 1211.3, 1211.4, 1211.5, 1211.7, 1211.8, 1211.12, 1211.14, 1211.15, 1211.16, 1211.17, 1211.18, 1211.19, 1211.20, 1211.21, 1211.22, 1211.23, 1211.24, 1211.25, 1211.26, 1212.3, 1212.4, 1212.7, DVGW W574 NEN-EN 13310 + A1 | RIJ |
| | | | EN 200, EN 817, EN 1111, DVGW W574 | GZ |

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: L 015

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023 to 01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|--|---|--|----------|
| 45 | Sanitary tap ware | Determination of resistance against torque | EN 200, EN 816, EN 817, EN 1111, EN1287, AS/NZS 3718, AS/NZS 4032.1, NEN-EN 1112, NEN-EN 1113, NEN-EN 13828, NEN-EN 14124, NEN-EN 16145 WRAS test & acceptance criteria 1315.1, 1315.2, 1315.4, 1315.5, 1315.6, DVGW W574 | RIJ |
| | | | EN 200, EN 817, EN 1111, DVGW W574, | GZ |
| 46 | | Test for safety with cold water failure by determination of the leakage rate | EN 1111, EN 1287, NHS D08, AS/NZS 4032.1 | RIJ |
| | | | EN 1111 | GZ |
| 47 | (Chromium) Coated products | Determination of the corrosion resistance of electrodeposited coatings of Ni-Cr | EN 248 (ISO 9227), EN 200, EN 817, EN 1111, AS 1172.2, NEN-EN 14055, ISO 9227), EN 200, EN 817, EN 1111, DVGW W574 | RIJ |
| | | | EN 248 (ISO 9227), EN 200, EN 817, EN 1111, DVGW W574 | GZ |
| 48 | Anti pollution devices, ice machines, hydraulic switches, sanitary tapware | Determination of functional properties; measuring equipment | AS1172.2, NEN-EN 14055 WRAS test & acceptance criteria 1511.1, 1512.8, 1711.2 | RIJ |

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: L 015

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023 to 01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|--|--|---|----------|
| 49 | Sanitary taps, valves, fittings, anti pollution devices, kitchen sinks | Determination of dimensions, including air gaps: measuring equipment | EN 200, EN 816, EN 817, EN 997, EN 1111, EN 1213, EN 1254, EN 1287, EN 10226, EN 13828, AS/NZS 3718, AS 1172.1, AS 1172.2, NEN-EN 1112, NEN-EN 1113, NEN-EN 16145 NEN-EN 14124, NEN-EN 13618, NEN-EN 15091 WRAS test & acceptance criteria 2213.1, 2213.3, 2213.4, 2213.5, 2213.7, 2213.8, 2213.10, 2213.11, 2213.12, 2213.13, 2213.14, 2213.15, 2213.16, 2213.17, 2213.18, 2213.19, 3212.1, 3212.2, 5011.1, 5011.3, 5011.5, 5011.6, 5011.7, 5021.3, 5031.1, 5031.2, 5031.3 DVGW W574 NEN-EN 695 | RIJ |
| | | | EN 200, EN 817, EN 1111, DVGW W574, | GZ |
| 50 | Sanitary taps, valves, vacuum breakers, fittings, anti pollution devices | Vacuum tests | EN 14124, AS 1172.2, AS/NZS 3494, AS/NZS 3982, NEN-EN 14055, NEN-EN 14688 WRAS test & acceptance criteria 2211.1, 2211.2, 2211.3, 2212.3, 2212.4, 2212.6, 2212.9, 2212.10, 2212.11, 2212.12, 2212.13, 2212.14, 2212.15, 2212.16, 2212.17, 2212.18, 2212.19, 2212.20 | RIJ |
| 51 | Piping systems and flushing devices | Determination of resistance against deformation and/or damage | WRAS test & acceptance criteria 1311.2, 1311.3, 1311.4 1312.2, 1312.3, 1312.5, 1312.6, 1312.8, 1312.9, 1312.11, 1312.12, 1312.13, 1312.14, 1312.15, 1312.16, 1312.17, 1313.1, 1313.2, 1314.4, 1314.5 | RIJ |
| 52 | Check valves | Determination mechanical properties | EN 13959 WRAS test & acceptance criteria 1313.4, 1313.7 | RIJ |

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: L 015

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023 to 01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|---|---|---|----------|
| 53 | Flushing devices | Determination corrosion resistance | WRAS test & acceptance criteria 1411.3 | RIJ |
| 54 | Flushing devices, kitchen sinks | Determination functional properties; measuring equipment | AS1172.2 EN 997 AS-NZS 1172-2 paragraph 4.7 and testing against specifications in accordance with AS/NZS 6400 WRAS test & acceptance criteria 1512.10, 1512.11, 1512.12, 1611.16, 1612.1 NEN-EN 13310 + A1 | RIJ |
| 55 | Plastic piping systems | Determination of resistance of joints to pressure cycling | EN 12295, AS/NZS 3499 NEN-EN 13618, NEN-EN 15091, NEN-EN 14124 | RIJ |
| 56 | Sanitary and industrial nozzles and shower heads | Determination of the spray pattern, using pattern measuring device | AS/NZS 3662 | RIJ |
| 57 | Fixed firefighting systems- Hose systems - Hose reels with semi- rigid hose | Minimum flow rate, flowmeter | NEN-EN 671-1 Annex E.4.1 | RIJ |
| 58 | | Effective throw range, geometrically | NEN-EN 671-1 Annex E.4.2 | RIJ |
| 59 | | Spray discharge, geometrically | NEN-EN 671-1 Annex E.3 | RIJ |
| 60 | | Reel rotation | NEN-EN 671-1-Annex F.2 | RIJ |
| 61 | | Reel swinging | NEN-EN 671-1-Annex F.3 | RIJ |
| 62 | Fixed firefighting systems- Hose systems - Hose reels with semi- rigid hose | Reel-Resistance to impact | NEN-EN 671-1-Annex F.6.1 | RIJ |
| 63 | | Reel-Resistance to load | NEN-EN 671-1 Annex F.6.2 | RIJ |
| 64 | | Shut-off nozzle - Resistance to impact | NEN-EN 671-1 Annex E.1 | RIJ |
| 65 | | Shut-off nozzle-Operating torque | NEN-EN 671-1 Annex E.2 | RIJ |

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: L 015

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023 to 01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|---|--|---------------------------|----------|
| 66 | Fixed firefighting systems- Hose systems - Hose reels with semi-rigid hose | Inlet stop valve-Automatic inlet stop valve | NEN-EN 671-1 Annex F.2 | RIJ |
| 67 | | Hydraulic properties-Resistance to internal pressure | NEN-EN 671-1 Annex F.7 | RIJ |
| 68 | | Hydraulic properties-Strength | NEN-EN 671-1 Annex F.8 | RIJ |
| 69 | | Reel - Unwinding load | NEN-EN 671-1 Annex F.4 | RIJ |
| 70 | | Reel - Dynamic breaking | NEN-EN 671-1 Annex F.5 | RIJ |
| 71 | | Resistance to corrosion of coated parts | NEN-EN 671-1 Annex B | RIJ |
| 72 | | Resistance to corrosion of waterways | NEN-EN 671-1 Annex D | RIJ |
| 73 | Fixed firefighting systems - Hose systems - Hose systems with lay-flat hose | Minimum flow rate, flow meter | NEN-EN 671-1 Annex E.4.1 | RIJ |
| 74 | | Effective throw range, geometrically | NEN-EN 671-2 Annex E.4.2 | RIJ |
| 75 | | Spray discharge, geometrically | NEN-EN 671-2 Annex E.3 | RIJ |
| 76 | | Shut-off nozzle - Resistance to impact | NEN-EN 671-2 Annex E.1 | RIJ |
| 77 | | Shut-off nozzle-Operating torque | NEN-EN 671-2 Annex E.2 | RIJ |
| 78 | Fixed firefighting systems - Hose systems - Hose systems with lay-flat hose | Hydraulic properties-Resistance to internal pressure | NEN-EN 671-2 Annex F | RIJ |
| 79 | | Hydraulic properties-Security of couplings | NEN-EN 671-2 Annex F | RIJ |
| 80 | | Resistance to corrosion of coated parts | NEN-EN 671-2 Annex B | RIJ |
| 81 | Fixed firefighting systems - Hose systems - Hose systems with lay-flat hose | Resistance to corrosion of waterways | NEN-EN 671-2 Annex D | RIJ |
| 82 | Underground fire hydrants | Leaktightness | EN 1074-1 Annex A | RIJ |
| 83 | | Hydraulic characteristics | EN 1074-6, § 5.3. | RIJ |

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: L 015

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023 to 01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|---|---|-------------------------------|----------|
| 84 | Pillar fire hydrants | Leaktightness | EN 1074-1, Annex A | RIJ |
| 85 | | Mechanical strength | EN 14384, § 4.6.2.2 | RIJ |
| 86 | | Hydraulic characteristics - Flow characteristics | EN 14384, § 5.3 | RIJ |
| 87 | Gates | Operating Forces ≤ 1400 N | NEN-EN 13241-1 | MO |
| 88 | Industrial, commercial and garage doors and gates | Determination of Operating forces (for power operated doors) ≤ 1400 N | NEN-EN 12445; NEN-EN 12453 | MO |

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: L 015

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023** to **01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|---------------------|-------------------------------|---------------------------|----------|
|-----|---------------------|-------------------------------|---------------------------|----------|

The accreditation for the activities below is suitable for notification

European construction products regulation No 305/2011,
System 3 Verification of Constancy of Performance

Product area 2

| | | | | |
|---|---|-------------------------------|----|--|
| Decision: 99/93/EC Doors, windows, shutters, blinds, gates and related building hardware (1/1): - | NEN-EN 13241-1:2003+A2:2016 | | | |
| 89 Doors and gates (with or without related hardware) (other declared specific uses and/or uses subject to other specific requirements, in particular noise, energy, tightness and safety-in-use (i.e. NOT for fire/smoke compartmentation, NOT for escape routes)). | Determination of Operating forces (for power operated doors) ≤ 1400 N | NEN-EN 12445; NEN-EN 12453 | MO | |

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: L 015

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023 to 01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|------------------------|--|---|---------------------------|----------|
| Product area 28 | | | | |
| Decision: 1999/472/EC | | NEN-EN 682, NEN-EN 682_A1 | | |
| | Pipes, tanks and ancillaries not in contact with water intended for human consumption (1/5) | | | |
| 90 | Joint sealings | Determination of tensile stress-strain properties | ISO 37 | AP |
| 91 | In installations for the transport/distribution/storage of gas/fuel intended for the supply of building heating/cooling systems, from the external storage reservoir of the last reduction unit of the network to the inlet of the heating cooling systems of the building | Determination of hardness | ISO 48 | AP |
| 92 | | Determination accelerated ageing and heat resistance | ISO 188 | AP |
| 93 | | Determination of compression set | ISO 815-1 and -2 | AP |
| 94 | | Determination of tear strength of small (Delft) test pieces | NEN-ISO 34-2 | AP |
| 95 | | Determination of the effect of liquids | ISO 1817 | AP |
| 96 | | Determination of the resistance to ozone cracking: - static strain testing | ISO 1431-1 | AP |

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: **L 015**

of **Kiwa Nederland B.V.**
Drinking Water Installations (DWI)
Plastic Piping Systems Lab

This annex is valid from: **29-11-2023 to 01-09-2024**

Replaces annex dated: **28-06-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|-----|---|---|---------------------------|----------|
| 97 | Joint sealings In installations for the transport/ distribution/storage of gas/fuel intended for the supply of building heating/cooling systems, from the external storage reservoir of the last reduction unit of the network to the inlet of the heating cooling systems of the building | Determination of stress relaxation in compression-testing at constant temperature | ISO 3384-1 | AP |