



Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: **L 264**

of **Normec Robalab B.V.**

This annex is valid from: **29-02-2024** to **01-03-2026**

Replaces annex dated: **14-02-2024**

No.	Material or product	Type of activity <sup>1</sup>	Internal reference number	Location
2.	Food and feed	Determination of the quantity of <i>Enterobacteriaceae</i> ; colony-count technique	MV051 NEN-ISO 21528-2	D
3.	Food	Determination of the quantity of the quantity of β-glucuronidase-positive <i>Escherichia coli</i> ; colony-count technique	MV054 NEN-ISO 16649-2	D
4.	Food and feed	Determination of the quantity of yeasts and moulds; colony-count technique	MV072 ISO 7954:1987	D
5.	Food and feed	Determination of the quantity of yeasts and moulds in products with water activity greater than 0.95; colony-count technique	MV075 NEN-EN-ISO 21527-1	D
6.	Food and environmental samples	Determination of the presence of <i>Listeria monocytogenes</i> ; detection technique	MV121 NEN-EN-ISO 11290-1 (AFNOR BRD 07/04-09/98)	D
7.	Food and environmental samples	Determination of the presence of <i>Listeria monocytogenes</i> ; detection technique, PCR	MP121 NEN-EN-ISO 11290-1 (AFNOR BRD 07/10-04/05)	D
8.	Food	Determination of the quantity of <i>Listeria monocytogenes</i> ; colony-count technique	MV122 NEN-EN-ISO 11290-2 (AFNOR BRD 07/05-09/01)	D
9.	Food and feed	Determination of the quantity of lactic acid bacteria; colony-count technique	MV131 NEN-EN-ISO 15214	D
10.	Food and feed	Determination of the quantity of coagulase positive staphylococci ( <i>Staphylococcus aureus</i> and other species) with RPF; colony-count technique	MV194 NEN-EN-ISO 6888-2	D
11.	Food and feed	Determination of the quantity of (presumptive) <i>Bacillus cereus</i> ; colony-count technique	MV021 NEN-EN-ISO 7932	D
12.	Food, feed and carcasses	Determination of the presence of <i>Salmonella spp.</i> ; detection technique, PCR	MP191 NEN-EN-ISO 6579-1 (AFNOR BRD 07/06-07/04)	D

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: **L 264**

of **Normec Robalab B.V.**

This annex is valid from: **29-02-2024** to **01-03-2026**

Replaces annex dated: **14-02-2024**

No.	Material or product	Type of activity <sup>1</sup>	Internal reference number	Location
13.	Down, poultry faeces and poultry meat (primary production samples)	Determination of the presence of <i>Salmonella spp.</i> ; detection technique, PCR	MP191 NEN-EN-ISO 6579-1 (AFNOR BRD 07/06-07/04)	D
14.	Carcasses	Determination of the quantity of micro-organisms at 30°C; colony-count technique	MK011 NEN-EN-ISO 4833-1	D
15.	Carcasses	Determination of the quantity of <i>Enterobacteriaceae</i> ; colony-count technique	MK051 NEN-ISO 21528-2	D
16.	Poultry faeces, down and environmental samples from the primary production stage	Determination of the presence of <i>Salmonella spp.</i> ; detection technique, MSRV	MV192 NEN-EN-ISO 6579-1	D
17.	Faeces, digestate and derived products	Determination of the quantity of <i>Enterobacteriaceae</i> at 37°C; colony-count technique, VRBG	MV051 in-house method	D
18.		Determination of the quantity of β-glucuronidase-positive <i>Escherichia coli</i> at 44°C; colony-count technique, TBX	MV054 in-house method	D
19.		Determination of the presence of <i>Salmonella spp.</i> ; detection technique, MSRV	MV192 NEN-EN-ISO 6579-1	D
20.	Salmonella-isolates	Serotyping of Salmonella; agglutination reaction according to White-Kauffman-Le Minor classification: <i>S. Enteritidis</i> , <i>S. Typhimurium</i> , <i>S. Paratyphi B</i> . var Java, <i>S. Agona</i> , <i>S. Hadar</i> , <i>S. Infantis</i> , <i>S. Virchow</i>	MB991 NPR-CEN-ISO/TR 6579-3	D
21.	Drinking water	Determination of the quantity of micro-organisms at 22°C; colony-count technique	MW011 NEN-EN-ISO 6222	D
22.		Determination of the quantity of coliforms; membrane filtration	MW034 NEN-EN-ISO 9308-1	D

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: **L 264**

of **Normec Robalab B.V.**

This annex is valid from: **29-02-2024** to **01-03-2026**

Replaces annex dated: **14-02-2024**

No.	Material or product	Type of activity <sup>1</sup>	Internal reference number	Location
23.	Drinking water	Determination of the quantity of <i>Escherichia coli</i> ; membrane filtration	MW055 NEN-EN-ISO 9308-1	D

**Nematological analyses**

24.	Soil (ground)	Determination of the number of: - Free-living root nematodes: <i>Pratylenchus spp.</i> <i>Paratylenchus spp.</i> <i>Rotylenchus spp.</i> <i>Helicotylenchus spp.</i> <i>Trichodoridae spp.</i> <i>Tylenchorhynchus spp.</i> <i>Hemicyclophora spp.</i> <i>Aphelenchoides spp.</i>  - Free-living <i>Meloidogyne</i> larvae, - Free-living <i>Heteroderidae</i> larvae, - Saprophytes  Oostenbrink method	N222 in-house method	D
25.	Soil (ground)	Determination of the number of: - Free-living root nematodes: <i>Pratylenchus spp.</i> <i>Paratylenchus spp.</i> <i>Rotylenchus spp.</i> <i>Helicotylenchus spp.</i> <i>Trichodoridae spp.</i> <i>Tylenchorhynchus spp.</i> <i>Hemicyclophora spp.</i> <i>Aphelenchoides spp.</i>  - Meloidogyne larvae, - Heteroderidae larvae, - Saprophytes  Oostenbrink method – incubation method 14, 28 days	N091, N092 in-house method	D

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: **L 264**

of **Normec Robalab B.V.**

This annex is valid from: **29-02-2024** to **01-03-2026**

Replaces annex dated: **14-02-2024**

No.	Material or product	Type of activity <sup>1</sup>	Internal reference number	Location
<b>Inorganic analyses</b>				
26.	Soil (ground)	Determination of the content of ammonium lactate-acetic acid buffer extractable phosphate (P-AL); auto analyzer spectrophotometry	B061 Uitvoeringsregeling meststoffenwet (URM) Annex L sections 2 and 3 (part of articles 27b and 103a)  (pre-treatment NEN 5709:2006 (extract NEN 5793, analysis extract NEN-EN-ISO 15681-2))	D
27.		Determination of the content of 0,01M calcium chloride extractable phosphate (P- CaCl <sub>2</sub> ); autoanalyzer spectrophotometry	B065 Uitvoeringsregeling meststoffenwet (URM) Annex L sections 2 and 3 (part of articles 27b and 103a)  (pre-treatment NEN 5709:2006 (extraction NEN 5704, measurement extract NEN-EN-ISO 15681-2))	D
28.		Determination of the content of potassium; ICP-OES	B111 in-house method	D
29.		Determination of the content of magnesium; ICP-OES	B131 in-house method	D
30.		Determination of the content of sodium; ICP-OES	B141 eigen methode	D
31.		Determination of the pH value in KCl-suspension; potentiometry	B161 in-house method	D
32.	Sandy soil	Determination of the content of organic matter; loss on ignition	B151 in-house method	D
33.	Spring and ground water, drinking water and drain water	Determination of the content of chloride; spectrophotometry, discrete analyzer	CW032 NEN-ISO 15923-1	D
34.		Determination of the content of nitrate; spectrophotometry, discrete analyzer	CW142 NEN-ISO 15923-1	D
35.		Determination of the content of nitrite; spectrophotometry, discrete analyzer	CW143 NEN-ISO 15923-1	D

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: **L 264**

of **Normec Robalab B.V.**

This annex is valid from: **29-02-2024** to **01-03-2026**

Replaces annex dated: **14-02-2024**

No.	Material or product	Type of activity <sup>1</sup>	Internal reference number	Location
36.	Spring and ground water, drinking water and drain water	Determination of the pH; potentiometry	CW161 in-house method	D
37.		Determinaton of the content of sulfate; spectrophotometry, discrete analyzer	CW191 NEN-ISO 15923-1	D
38.		Determinaton of the content of ammonium; spectrophotometry, discrete analyzer	CW011 NEN-ISO 15923-1	D
39.	Spring and ground water, drinking water	Determinaton of the content of calcium; ICP-OES	CW031 NEN-EN-ISO 11885	D
40.		Determinaton of the content of magnesium; ICP-OES	CW131 NEN-EN-ISO 11885	D
41.		Determinaton of the content of calcium and magnesium and the calculation for hardness; ICP-OES	CW081 in-house method calcium en magnesium (NEN-EN-ISO 11885)	D
42.		Determinaton of the content of iron; ICP-OES	CW091 NEN-EN-ISO 11885	D
43.		Determinaton of the content of manganese; ICP-OES	CW132 NEN-EN-ISO 11885	D
44.		Determinaton of the content of sodium; ICP-OES	CW141 NEN-EN-ISO 11885	D

**Accreditation program animal manure; AP05**

45.	Slurry and solid manure	Determination of the content of nitrogen; auto analyzer, spectrophotometry	M191 Uitvoeringsregeling Meststoffenwet: Annex H, part of article 80b and 81 (AP05) (pre-treatment NEN 7430 and NEN 7431, digestion NEN 7433, analysis digests NEN 7434)	D
-----	-------------------------	--	--	---

Annex to declaration of accreditation (scope of accreditation)

Normative document: EN ISO/IEC 17025:2017

Registration number: **L 264**

of **Normec Robalab B.V.**

This annex is valid from: **29-02-2024** to **01-03-2026**

Replaces annex dated: **14-02-2024**

No.	Material or product	Type of activity <sup>1</sup>	Internal reference number	Location
46.	Slurry and solid manure	Determination of the content of phosphorus; continuous flow analyzer, spectrophotometry	M061 Uitvoeringsregeling Meststoffenwet: Annex H, part of article 80b en 81 (AP05) (pre-treatment NEN 7430 and NEN 7431, digestion NEN 7433, analysis digests NEN 7435)	D