

Annex to declaration of accreditation (scope of accreditation)  
Normative document: EN ISO/IEC 17025:2017  
Registration number: **L 406**

of **SKG-IKOB Certificatie B.V.**  
**Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie**

This annex is valid from: **22-04-2026** to **01-12-2029**

Replaces annex dated: **25-09-2025**

**Location(s) where activities are performed under accreditation**

**Head Office**

Poppenbouwing 56  
4191 NZ  
Geldermalsen  
The Netherlands

<b>Location</b>	<b>Abbreviation/ location code</b>
Poppenbouwing 56 4191 NZ Geldermalsen The Netherlands	G
Mobile lab	MoLo
On customer's location	OpLo
CPR article 46: Use of facilities outside the testing laboratory of the notified body	*

<b>No.</b>	<b>Material or product</b>	<b>Type of activity<sup>1</sup></b>	<b>Internal reference number</b>	<b>Location</b>
1	Roof or façade elements with doors, windows, hatches and solid fillings. Curtain walls & grilles	Determination of burglar resistance of façade elements. Static, dynamic and manual attack tests	WI D3-H5-6-004 NEN 5096 EN 1627, EN 1628, EN 1629, EN 1630	G, OpLo
2	Door and window hardware	Determination of the corrosion resistance; salt spray test	WI D3-H5-8-019 EN 1670, ISO 9227	G, OpLo

This annex has been approved by the Board of the Dutch Accreditation Council, on its behalf,

J.A.W.M. de Haas

<sup>1</sup> If there is a referral to a code starting with NAW, NAP, EA or IAF, this concerns a scheme mentioned on the [RvA-BR010-list](#).  
If no date or version number is mentioned for a normative document, the accreditation concerns the most current version of the document or scheme.

Annex to declaration of accreditation (scope of accreditation)  
 Normative document: EN ISO/IEC 17025:2017  
 Registration number: **L 406**

of **SKG-IKOB Certificatie B.V.**  
**Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie**

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

No.	Material or product	Type of activity <sup>1</sup>	Internal reference number	Location
3	Door and window hardware	Determination of the mechanical characteristics, durability, corrosion resistance of hinges	WI D3-H5-8-29/30/31 EN 1935	G, OpLo
4		Determination of the dimensions, mechanical characteristics, durability and corrosion resistance of panic exit devices	WI D3-H5-8-29/30/36 EN 1125	G, OpLo
5		Determination of the dimensions, mechanical characteristics, durability and corrosion resistance of emergency exit devices	WI D3-H5-8-29/30/35 EN 179	G,OpLo
6		Determination of the mechanical characteristics, durability and corrosion resistance of locks	WI D3-H5-8-29/30/32 EN 12209	G, OpLo
7	Automatically operating doors for pedestrians	Determination of air permeability. Pressurized chamber test	WI D3-H5-0-021 EN 16361 par 4.10, EN 1026	G, MoLo, OpLo
8		Determination of watertightness. Pressurized chamber test	WI D3-H5-0-021 EN 16361 par 4.7, EN 1027	G, MoLo, OpLo
9		Determination of resistance to wind load. Pressurized chamber test	WI D3-H5-0-021 EN 16361 par 4.8, EN 12211	G, MoLo, OpLo
10		Determination of resistance to impact load. Pendulum test	WI D3-H5-0-050 EN 13049	G, MoLo, OpLo
11		Determination of height	EN 16361 par 4.4	G, OpLo
12	Industrial and commercial garage doors and gates	Determination of air permeability. Pressurized chamber test	WI D3-H5-0-021 EN 12427	G, MoLo, OpLo*
13		Determination of watertightness. Pressurized chamber test	WI D3-H5-0-021 EN 12489	G, MoLo, OpLo*
14		Determination of resistance to wind load. Pressurized chamber test	WI D3-H5-0-021 EN 12444	G, MoLo, OpLo*
15		Safe opening, determination of safety risks. Visual inspection and functional tests	WI D3-H5-8-041 EN 13241 sec. 4.2.8, EN 12605 sec 5.1.2, sec 5.3.2, sec 5.4.2 and sec 5.4.3.	G, OpLo*

Annex to declaration of accreditation (scope of accreditation)  
 Normative document: EN ISO/IEC 17025:2017  
 Registration number: **L 406**

of **SKG-IKOB Certificatie B.V.**  
**Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie**

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

No.	Material or product	Type of activity <sup>1</sup>	Internal reference number	Location
16	Industrial and commercial garage doors and gates	Determination of dynamic forces of powered doors	WI D3-H5-8-037 EN 13241 sec 4.3.3, EN 12445:2000 sec 4.1.1.4, sec 5, sec 7.3	G, OpLo*
17		Service life of watertightness, thermal resistance and airtightness. Cyclic durability test, functional test and visual inspection	WI D3-H5-8-043 EN 12605:2000, sec 5.2.	G, MoLo, OpLo*
18	Windows and doors	Determination of air permeability. Pressurized chamber test	WI D3-H5-0-021 EN 1026, Annex I of EN 14351-1.  Classification EN 12207	G, MoLo, OpLo*
19		Determination of watertightness. Pressurized chamber test.	WI D3-H5-0-021 EN 1027 Classification EN 12208	G, MoLo, OpLo*
20		Determination of resistance to wind load. Pressurized chamber test	WI D3-H5-0-021 EN 12211 Classification EN 12210	G, MoLo, OpLo*
21		Determination of Load-bearing capacity of safety devices. Mechanical test	WI D3-H5-8-040 EN 14351-1 sec 4.8, EN 14609	G, MoLo, OpLo*
22		Determination of resistance to impact load. Pendulum test	WI D3-H5-0-050 EN 13049	G, MoLo, OpLo*
23	Products for thermal insulation of buildings – Factory-produced products of expanded polystyrene (EPS) - Specification	Determination of thermal resistance	MV09.01 EN 12667 or EN 12939 EN 13163 annex A, EN 823	G
24		Determination of compression strength, tensile strength and bending strength	MV09.03 EN 826, EN 1605, EN 12089, EN1607	G
25		Determination of service life of compression strength	MV09.03 EN 1606, EN 12091, EN 826, sec 4.3.15.4 of EN13163	G
26		Determination of water absorption on immersion	MV03.01 EN 12087 method 2A	G

Annex to declaration of accreditation (scope of accreditation)  
 Normative document: EN ISO/IEC 17025:2017  
 Registration number: **L 406**

of **SKG-IKOB Certificatie B.V.**  
**Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie**

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

No.	Material or product	Type of activity <sup>1</sup>	Internal reference number	Location
27	Materials for the thermal insulation of buildings – Products formed in-situ from sprayed hard polyurethane (PUR) and polyisocyanurate (PIR) foam - Part 1: Specification for the sprayed hard foam system before installation	Determination of thermal resistance	MV09.01 EN 14315-1 sec 4.2.2, 5.3.2, annex A & EN 12667, EN 12939C	G
28		Determination of compression strength	MV09.03 EN 14315-1 sec 4.3.4, EN 826, EN 1605:2013	G
29		Determination of water absorption on immersion	MV03.01 EN 14315-1 sec 4.3.3 EN 1609 method B	G
30		Determination of water vapour transmission properties	MV03.05 EN 14315-1 sec 4.3.2, EN 12086 method A	G
31		Determination of thermal resistance	MV09.01 EN 14318-1 sec 4.2.2, 5.3.2 EN 14318-1 annex A & C, EN 12667, EN 12939	G
32		Determination of water vapour transmission properties	MV03.05 EN 14318-1 sec 4.2.5 EN 12086, method A	G
33		Determination of water absorption on immersion	MV03.01 EN 14318-1 sec 4.2.4 EN 14064-1 sec 4.3.3 EN 1609, method A and B	G
34	Curtain walls	Determination of resistance to impact load. Pendulum test	WI D3-H5-0-050 EN 12600, EN 14019	G, MoLo, OpLo*
35		Determination of air permeability. Pressurized chamber test	WI D3-H5-0-021 EN 12153 Classification EN 12152	G, MoLo, OpLo*
36		Determination of watertightness. Pressurized chamber test	WI D3-H5-0-021 EN 12155 Classification EN 12154	G, MoLo, OpLo*
37		Determination of resistance to wind load. Pressurized chamber test	WI D3-H5-0-021 EN 12179 Classification EN 13116	G, MoLo, OpLo*

of **SKG-IKOB Certificatie B.V.**  
**Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie**

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

No.	Material or product	Type of activity <sup>1</sup>	Internal reference number	Location
38	Anchors, tension rods, climbing irons, brackets, corner anchors, horizontal joint reinforcement	Determination of compression strength	MV12.02 EN 846-5, EN 846-6	G, OpLo*
39		Determination of tensile strength	MV12.02 EN 846-5, EN 846-6	G, OpLo*
40		Determination of buckling or bending strength	MV12.02 EN 846-5, EN 846-6	G, OpLo*
41		Determination of displacement under load	MV12.03 EN 846-10	G, OpLo*
42		Determination of load bearing capacity	MV12.03 EN 846-10	G, OpLo*
43		Determination of tensile and compressive load capacity and load displacement characteristics of wall ties (couplet test)	MV12.02 EN 846-5	G, OpLo*
44		Determination of tensile and compressive load capacity and load displacement characteristics of wall ties (single end test)	MV12.02 EN 846-6	G, OpLo*
45		Lintels	Determination of load bearing capacity	MV12.01 EN 846-9
46	Determination of bending strength		MV12.01 EN 846-9	G, OpLo*
47	Joist hangers	Determination of load capacity and load-deflection characteristics of joist hangers	MV12.04 EN 846-8	G, OpLo*
48	Roof windows	Determination of watertightness. Pressurized chamber test	WI-D3-H5-0-021 EN 1027 Classification EN 12208	G, MoLo, OpLo*
49	Roof dome lights	Determination of watertightness. Pressurized chamber test	WI-D3-H5-0-021 EN 1873	G, MoLo, OpLo*
50	Continuous roof lights	Determination of watertightness. Pressurized chamber test	WI-D3-H5-0-021 EN 1873, EN 14963 sec 5.3 en 6.3	G, MoLo, OpLo*
51	Roof windows	Determination of air permeability. Pressurized chamber test	WI-D3-H5-0-021 EN 1026, Annex I of EN 14351-1 Classification EN 12207	G, MoLo, OpLo*

of **SKG-IKOB Certificatie B.V.**  
**Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie**

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

No.	Material or product	Type of activity <sup>1</sup>	Internal reference number	Location
52	Roof windows	Determination of resistance to wind load. Pressurized chamber test	WI-D3-H5-0-021 EN 12211 Classification EN 12210	G, MoLo, OpLo*
53		Determination of Load-bearing capacity of safety devices. Mechanical test	WI D3-H5-8-040 EN 14351-1 sec 4.8, EN 14609	G, MoLo, OpLo*
54		Determination of resistance to impact load. Pendulum test	WI D3-H5-0-050 EN 13049	G, MoLo, OpLo*
55	Roof dome lights	Mechanical resistance: determination of change under load. Pressurized chamber test. Visual assessment.	WI-D3-H5-0-021 EN 1873 sec 5.4 and 6.4	G, MoLo, OpLo*
56		Determination of resistance to impact load	WI D3-H5-0-050 EN 1873	G, MoLo, OpLo*
57		Determination of air permeability. Pressurized chamber test	WI-D3-H5-0-021 EN 12153 Classification EN 12152	G, MoLo, OpLo*
58	Continuous roof lights	Mechanical resistance: determination of change under load. Pressurized chamber test. Visual assessment	WI-D3-H5-0-021 EN 14963 sec 5.4 and 6.4 EN 1994-1-1 EN 1873 sec 5.4 and 6.4	G, MoLo, OpLo*
59		Determination of resistance to impact load	WI D3-H5-0-050 EN 14963 sec 5.4 and 6.4, EN 1873	G, MoLo, OpLo*
60		Determination of air permeability. Pressurized chamber test	WI-D3-H5-0-021 EN 1026, EN 12153	G, MoLo, OpLo*
61	Cementitious adhesives	Determination of (service life of) adhesion strength (under influence of aging by water/moisture; climate/heat; freeze/thaw cycle)	MV17.04 EN 1348	G
62	Dispersion adhesives	Determination of (service life of) shear adhesion strength (under influence of aging by climate/heat; water/moisture)	WI D3-H5-5-702 EN 1324	G

Annex to declaration of accreditation (scope of accreditation)  
 Normative document: EN ISO/IEC 17025:2017  
 Registration number: **L 406**

of **SKG-IKOB Certificatie B.V.**  
**Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie**

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

No.	Material or product	Type of activity <sup>1</sup>	Internal reference number	Location
63	Flat and profiled glass	Hard body drop test	WI-D3-H5-8-021 EN 356	G, OpLo*
64	Doors, shutters, openable windows and hatches	Fire resistance and smoke control tests for door and shutter assemblies, openable windows and elements of building hardware  Part 3: Smoke control tests for door and shutter assemblies	EN1634-3	G, MoLo
65	Door and window hardware and locks: enclosures for electrical equipment with a rated voltage not exceeding 72,5 kV	Determination of enclosures protection; spray test	WI D3-H5-8-048 IEC 60529:1989/A2:2013/C1:2019	G
66	Controlled door closing devices	Determination of the mechanical characteristics, durability and corrosion resistance of controlled door closing devices	WI-D3-H5-8-039 EN 1154	G,OpLo
67	Electrically powered hold-open devices for swing doors	Determination of the mechanical characteristics, durability and corrosion resistance of electrically powered hold-open devices for swing doors	WI-D3-H5-8-038 EN 1155	G,OpLo
68	Padlocks and padlock fittings	Determination of the mechanical characteristics, durability and corrosion resistance of padlocks and padlock fittings	WI-D3-H5-6-007 EN 12320	G,OpLo
69	Mechantronic padlocks	Determination of the mechanical characteristics, durability, electrostatic discharge, magnetic fields and corrosion resistance of padlocks and padlock fittings	WI-D3-H5-6-006 EN 16864	G,OpLo
70	Lever handles and knob furniture	Determination of the mechanical characteristics, durability and corrosion resistance of lever handles and knob furniture	WI-D3-H5-8-033 EN 1906	G,OpLo

Annex to declaration of accreditation (scope of accreditation)  
 Normative document: EN ISO/IEC 17025:2017  
 Registration number: **L 406**

of **SKG-IKOB Certificatie B.V.**  
**Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie**

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

No.	Material or product	Type of activity <sup>1</sup>	Internal reference number	Location
71	Cylinders for locks	Determination of the mechanical characteristics, durability and corrosion resistance of cylinders for locks	WI-D3-H5-8-034 EN 1303	G,OpLo
72	Mechatronic cylinders	Determination of the mechanical characteristics, durability, electrostatic discharge, magnetic fields and corrosion resistance of mechatronic cylinders	WI-D3-H5-6-009 EN 15684	G,OpLo
73	Mechatronic door furniture	Determination of the mechanical characteristics, durability, electrostatic discharge, magnetic fields and corrosion resistance of mechatronic door furniture	WI-D3-H5-6-010 EN 16867	G,OpLo
74	Calcium silicate masonry units and autoclaved aerated concrete	Determination of compressive strength; Compression test	MV01.01, D3-H5-6-0201 NEN-EN 679 NEN-EN 772-1	G

**European Construction Products Regulation 305/2011,  
 System 3 Verification of Constancy of Performance**

*The accreditation for the activities below is suitable for notification.  
 The notification is limited to the test activities above.*

**Product area 2**

Decree: 99/93/EC	EN 13241-1:2003+A1:2011(*)
DOORS, WINDOWS, SHUTTERS, BLINDS, GATES AND CORRESPONDING HARDWARE (1/1)	EN 13241:2003+A2:2016(*)
Industrial and commercial garage doors and gates – Product standard - Part 1 – Products without fire or smoke resistance properties	

Annex to declaration of accreditation (scope of accreditation)  
 Normative document: EN ISO/IEC 17025:2017  
 Registration number: **L 406**

of **SKG-IKOB Certificatie B.V.**  
**Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie**

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

No.	Material or product	Type of activity <sup>1</sup>	Internal reference number	Location
	Windows and doors – Product standard, performance requirements - Part 1: Windows and doors without fire or smoke resistance properties	EN 14351-1:2006+A2:2016(*) EN 14351-1:2006+A1:2010(*)		
	Window and door hardware – single-axis hinges – Requirements and test methods	EN 1935:2002(*) EN 1935:2002/AC:2003(*)		
	Window and door hardware – Locks and latches – Mechanically operated locks, latches and locking plates – Requirements and test methods	EN 12209:2003(*) EN 12209:2003/AC:2005(*)		
	Window and door hardware – Locks and latches - Electromechanically operated locks and striking plates - Requirements and test methods	EN 14846:2008(*)		
<b>Product area 4</b>				
	Decree: 99/91/EC  HEAT INSULATION PRODUCTS (1/2)  (products manufactured in the factory and products that are intended for formation on location) All intended uses	EN 13163:2012+A1:2015  EN 14315-1:2013  EN 14318-1:2013		
	Decree: 99/91/EC  HEAT INSULATION PRODUCTS (2/2)	EN 14064-1:2010		

Annex to declaration of accreditation (scope of accreditation)  
 Normative document: EN ISO/IEC 17025:2017  
 Registration number: **L 406**

of **SKG-IKOB Certificatie B.V.**  
**Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie**

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

No.	Material or product	Type of activity <sup>1</sup>	Internal reference number	Location
<b>Product area 9</b>				
	Decree: 96/580/EC  CURTAIN WALLS (1/1)	EN 13830:2003(*)		
<b>Product area 17</b>				
	Decree: 97/740/EC  MASONRY AND RELATED PRODUCTS (2/3)  in walls and partitions	EN 845-1:2013+A1:2016(*)  EN 845-2:2013+A1:2016(*)		
<b>Product area 22</b>				
	Decree: 98/436/EC  ROOF COVERINGS, SKYLIGHTS, ROOF WINDOWS AND ACCESSORIES (2/6, 3/6 en 6/6)			
	Windows and doors – Product standard, performance requirements - Part 1: Windows and outside doors: skylights	EN 14351-1:2006+A2:2016(*)		
	Roof coverings – Continuous roof lights of plastics with or without upstands - Classification, requirements and test methods	EN 14963:2006(*)		
	Accessories for roofs – Plastic roof dome lights with upstands – Product specification and test methods	EN 1873:2005(*)		

Annex to declaration of accreditation (scope of accreditation)  
 Normative document: EN ISO/IEC 17025:2017  
 Registration number: **L 406**

of **SKG-IKOB Certificatie B.V.**  
**Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie**

This annex is valid from: **22-04-2026 to 01-12-2029**

Replaces annex dated: **25-09-2025**

No.	Material or product	Type of activity <sup>1</sup>	Internal reference number	Location
<b>Product area 25</b>				
	Decree: 99/470/EC  BUILDING ADHESIVES (1/2)  Adhesives for tiles  Internal and external use in buildings and other civil engineering works	EN 12004:2007+A1:2012		
<b>Product area 30</b>				
	Decree: 2000/245/EC  FLAT GLASS, PROFILED GLASS AND GLASS BLOCKS (4/6)  For other uses that may involve "safety in use" risks and may be subject to relevant regulations  Glass for buildings – Thermally toughened alkaline earth silicate safety glass - Part 2: Conformity evaluation/Product standard	EN 572-9:2004(*)  EN 1036-2:2008(*)  EN 1096-4:2004(*)  EN 1279-5:2005+A2:2010(*)  EN 1748-1-2:2004(*)  EN 1748-2-2:2004(*)  EN 1863-2:2004(*)  EN 12150-2:2004(*)  EN 12337-2:2004(*)  EN 13024-2:2004(*)  EN 14178-2:2004(*)  EN 14179-2:2005(*)  EN 14449:2005(*) EN 14449:2005/AC:2005(*)  EN 14321-2:2005(*)		

Annex to declaration of accreditation (scope of accreditation)  
Normative document: EN ISO/IEC 17025:2017  
Registration number: **L 406**

of **SKG-IKOB Certificatie B.V.**  
**Trading under the names SKG-IKOB, SKG, IKOB-BKB and SKW Certificatie**

This annex is valid from: **22-04-2026** to **01-12-2029**

Replaces annex dated: **25-09-2025**

No.	Material or product	Type of activity <sup>1</sup>	Internal reference number	Location
<b>European Construction Products Regulation 305/2011, System 3 Verification of constancy of performance</b>				
<i>The accreditation for the activities below is suitable for notification The notification is limited to the applicable test activities mentioned above</i>				
<b>Horizontal notification (CPR Annex V.3)</b>				
Construction products	Resistance to fire	EN 1634-3	G, MoLo	

\* Use of equipment and facilities outside the test laboratory of the accredited organisation.