

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 447**

of **Kiwa BDA Testing B.V.**

This annex is valid from: **28-06-2023** to **01-10-2024**

Replaces annex dated: **07-09-2022**

Location(s) where activities are performed under accreditation

Head Office

Avelingen-West 35
 4202 MS
 Gorinchem
 The Netherlands

Location	Abbreviation/ location code
Avelingen-West 35 4202 MS Gorinchem The Netherlands	G

No.	Material or product	Type of activity ¹	Internal reference number	Location
1	Roof materials	Determination of the ignitability of products subjected to direct impingement of flame - single-flame source test incl. classification (E/F)	NEN-EN-ISO 11925-2 classification NEN-EN-13501-1	G
2	Roofing materials	Determination of the performance of roofs to external fire exposure incl. classification (B _{ROOF} (t1) respectively B _{ROOF} (t2)) and classification (F _{ROOF} (t1) respectively F _{ROOF} (t2)) Determination of the performance of roofs to external fire exposure	NVN-ENV 1187 test 1 and 2 (2003) classification NEN-EN-13501-5 test 1 and test 2 CEN/TS 1187 test 1 and test 2	G

This annex has been approved by the Board of the
 Dutch Accreditation Council, on its behalf,

J.A.W.M. de Haas

¹ If there is a referral to a code starting with NAW, NAP, EA or IAF, this concerns a scheme mentioned on the [RvA-BR010 list](#)
 If no date or version number is mentioned for a normative document, the accreditation concerns the most current version of the document or scheme.

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 447**

of **Kiwa BDA Testing B.V.**

This annex is valid from: **28-06-2023** to **01-10-2024**

Replaces annex dated: **07-09-2022**

No.	Material or product	Type of activity ¹	Internal reference number	Location
3	Roofing materials	Determination of the performance of roofs to external fire exposure	NEN 6063	G
4	Thermal insulating building materials and products	Determination of thermal resistance by means of heat flow meter method of products of high and medium thermal resistance	LA-001 NEN-EN 12667 paragraph 5.3 (or heat flow method)	G

Opinions and interpretations

5	Roof and roofing materials	Extended Application (EXAP) of testing CEN/TS 1187 and NEN-EN-ISO 11925-2	CEN/TS 16459 Annex A EN 15715 and CEN/TS 15117	G
---	----------------------------	---	---	---

**The accreditation for the activities listed below is suitable for registration.
 The notification is limited to the type of activities No 1 and 2**

**European construction products regulation No 305/2011
 System 3 Verification of Constancy of Performance**

**Product area 22:
 ROOF COVERINGS, ROOF LIGHTS, ROOF WINDOWS, AND ANCILLARY PRODUCTS. ROOF KITS**

6	Decision: 98/436/EC ROOF COVERINGS, ROOF LIGHTS, ROOF WINDOWS AND ANCILLARY PRODUCTS (2/6)	Flat and profiled sheets (for uses subject to reaction to fire regulations).	EN 494:2012+A1:2015 EN 534:2006+A1:2010	G
7	Decision: 98/436/EC ROOF COVERINGS, ROOF LIGHTS, ROOF WINDOWS AND ANCILLARY PRODUCTS (2/6)	Factory-bonded composite or sandwich panels (for uses subject to reaction to fire regulations).	EN 14509:2013	G

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 447**

of **Kiwa BDA Testing B.V.**

This annex is valid from: **28-06-2023** to **01-10-2024**

Replaces annex dated: **07-09-2022**

No.	Material or product	Type of activity ¹	Internal reference number	Location
8	Decision: 98/436/EC ROOF COVERINGS, ROOF LIGHTS, ROOF WINDOWS AND ANCILLARY PRODUCTS (2/6)	Roofing tiles, slates, stones and shingles (for uses subject to reaction to fire regulations).	EN 12326-1:2014 EN 1304:2005 EN 490:2011 EN 492:2012+A2:2018 EN 544:2011	G
9	Decision: 98/436/EC ROOF COVERINGS, ROOF LIGHTS, ROOF WINDOWS AND ANCILLARY PRODUCTS (2/6)	Rooflights (for uses subject to reaction to fire regulations)	EN 1873:2005 EN 14963:2006	G
10	Decision: 98/436/EC ROOF COVERINGS, ROOF LIGHTS, ROOF WINDOWS AND ANCILLARY PRODUCTS (3/6)	Flat and profiled sheets (for uses subject to external fire performance regulations).	EN 494:2012+A1:2015 EN 534:2006+A1:2010	G
11	Decision: 98/436/EC ROOF COVERINGS, ROOF LIGHTS, ROOF WINDOWS AND ANCILLARY PRODUCTS (3/6)	Factory-bonded composite or sandwich panels (for uses subject to reaction to fire regulations).	EN 14509:2013	G

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: L 447

of **Kiwa BDA Testing B.V.**

This annex is valid from: **28-06-2023 to 01-10-2024**

Replaces annex dated: **07-09-2022**

No.	Material or product	Type of activity ¹	Internal reference number	Location
12	Decision: 98/436/EC ROOF COVERINGS, ROOF LIGHTS, ROOF WINDOWS AND ANCILLARY PRODUCTS (3/6)	Roofing tiles, slates, stones and shingles (for uses subject to external fire performance regulations).	EN 1304:2005 EN 490:2011 EN 492:2012+A2:2018 EN 544:2011	G
13	Decision: 98/436/EC ROOF COVERINGS, ROOF LIGHTS, ROOF WINDOWS AND ANCILLARY PRODUCTS (3/6)	Rooflights (for uses subject to external fire performance regulations).	EN 1873:2005 EN 14963:2006	G
14	Decision: 99/90/EC MEMBRANES (2/3)	Roof sheets (for uses subject to reaction to fire regulations)	EN 13707:2004+A2:2009 EN 13956:2012	G
15	Decision: 99/90/EC MEMBRANES (3/3)	Roof sheets (for uses subject to external fire performance regulations).	EN 13707:2004+A2:2009	G

The accreditation for the activities listed below is suitable for registration.

The notification is limited to type of activity No 1

16	Decision: 99/90/EC MEMBRANES (1/3)	Damp proof courses (in buildings).	EN 14909:2012 EN 14967:2006	G
17	Decision: 99/90/EC MEMBRANES (1/3)	Water vapour control layers (in buildings)	EN 13859-2:2010	G

Annex to declaration of accreditation (scope of accreditation)
Normative document: EN ISO/IEC 17025:2017
Registration number: **L 447**

of **Kiwa BDA Testing B.V.**

This annex is valid from: **28-06-2023** to **01-10-2024**

Replaces annex dated: **07-09-2022**

No.	Material or product	Type of activity ¹	Internal reference number	Location
18	Decision: 99/90/EC MEMBRANES (2/3)	Damp proofing sheets (for uses subject to reaction to fire regulations).	EN 13967:2012 EN 13969:2004 EN 13969:2004/A1:2006	G
19	Decision: 99/90/EC MEMBRANES (2/3)	Damp proof courses (for uses subject to reaction to fire regulations).	EN 14909:2012 EN 14967:2006	G
20	Decision: 99/90/EC MEMBRANES (2/3)	Roof underlays (for uses subject to reaction to fire regulations).	EN 13859-1:2010	G
21	Decision: 99/90/EC MEMBRANES (2/3)	Water vapour control layers (for uses subject to reaction to fire regulations).	EN 13859-2:2010 EN 13970:2004 EN 13970:2004/A1:2006 EN 13984:2013	G

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 447**

of **Kiwa BDA Testing B.V.**

This annex is valid from: **28-06-2023 to 01-10-2024**

Replaces annex dated: **07-09-2022**

The accreditation for the activities listed below is suitable for registration.

The notification is limited to type of activities No 1 and 4

22	Decision: 99/91/EC THERMAL INSULATING PRODUCTS (1/2)	Thermal insulating products (factory-made products and products intended to be formed in-situ) (any)	EN 13162:2012 + A1:2015 EN 13163:2012 + A1:2015 EN 13164:2012 + A1:2015 EN 13165:2012 + A1:2015 EN 13165:2012 + A2:2016 EN 13166:2012 + A1:2015 EN 13166:2012 + A2:2016 EN 13167:2012 + A1:2015 EN 13168:2012 + A1:2015 EN 13169:2012 + A1:2015 EN 13170:2012 + A1:2015 EN 13171:2012 + A1:2015 EN 14064-1:2010 EN 14303:2009+A1:2013 EN 14304:2009+A1:2013 EN 14305:2009+A1:2013 EN 14306:2009+A1:2013 EN 14307:2009+A1:2013 EN 14308:2009+A1:2013 EN 14309:2009+A1:2013 EN 14313:2009+A1:2013 EN 14314:2009+A1:2013 EN 14933:2007 EN 14934:2007	G
----	--	---	--	---