

Annex to declaration of accreditation (scope of accreditation)
Normative document: EN ISO/IEC 17025:2017
Registration number: **L 564**

of **Intertek Nederland B.V.**
Laboratory

This annex is valid from: **17-01-2024** to **01-12-2024**

Replaces annex dated: **13-12-2023**

Location(s) where activities are performed under accreditation

Head Office

Leerlooierstraat 135
3194 AB
Hoogvliet Rotterdam
The Netherlands

| Location | Abbreviation/ location code |
|---|------------------------------------|
| Leerlooierstraat 135 3194 AB Hoogvliet Rotterdam The Netherlands | LLS |
| Kaasmakerstraat 48 3194 DJ Hoogvliet Rotterdam The Netherlands | KMS |
| VOPAK Europoort Moezelweg 75, havennr. 5530 3198 LS Europoort-Rotterdam | VOP |

This annex has been approved by the Board of the
Dutch Accreditation Council, on its behalf,

J.A.W.M. de Haas

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 564**

of **Intertek Nederland B.V.**
Laboratory

This annex is valid from: **17-01-2024 to 01-12-2024**

Replaces annex dated: **13-12-2023**

| No. | Material or product | Type of activity ¹ | Internal reference number | Location |
|--------------------------------------|---|--|--|----------|
| Sampling | | | | |
| a. | Corn | Taking samples to determine the aflatoxine content (the associated determination of content is carried out structurally by another accredited laboratory) | P13G, W23 GMP+ BA 4, Aflatoxine B1 protocol | KMS |
| b. | GTL, SAF, HVO en Bio naphtha | Taking samples to determine bio-based hydrocarbon content | W25 Monstername Algemeen ASTM D4057, ISO 3170 | LLS |
| Liquid fuel: Physical testing | | | | |
| 1. | Petroleum products, aromatic, petrochemicals and solvents | Determination of distillation range; automatic | DL – WA – 00086 ASTM D86 | LLS, VOP |
| 2. | Petrochemicals | Determination of colour; visual measurement | DL – WA – 01209 ASTM D1209 | LLS |
| 3. | Gasoline | Determination of the knock rating in terms of Research Octane Number | DL – WA – 02700 ASTM D2699 | LLS |
| 4. | Gasoline | Determination of the knock rating in terms of Motor Octane Number | DL – WA – 02700 ASTM D2700 | LLS |
| 5. | Gasoline | Determination of benzene; GC | DL – WA – 03606 ASTM D3606 Procedure B | LLS |
| 6. | Petroleum products, aromatic, petrochemicals and solvents | Determination of density and relative density; digital density meter | DL – WA – 04052 ASTM D4052 | LLS, VOP |
| 7. | Naphta / Gasoline | Determination of total vapour pressure-(DVPE); mini method | DL – WA – 05191 ASTM D5191 | LLS, VOP |
| 8. | Petroleum products | Determination of carbon, hydrogen and nitrogen; instrumental | DL – WA – 05291 ASTM D5291 | LLS |

¹ If there is a referral to a code starting with NAW, NAP, EA or IAF, this concerns a scheme mentioned on [RvA-BR010-lijst](#).
 If no date or version number is mentioned for a normative document, the accreditation concerns the most current version of the document or scheme.

Annex to declaration of accreditation (scope of accreditation)
Normative document: EN ISO/IEC 17025:2017
Registration number: **L 564**

of **Intertek Nederland B.V.**
Laboratory

This annex is valid from: **17-01-2024** to **01-12-2024**

Replaces annex dated: **13-12-2023**

| No. | Material or product | Type of activity¹ | Internal reference number | Location |
|------------|----------------------------|--|----------------------------------|-----------------|
| 9. | Gasoil | Determination of the cloud point: optical detection stepped cooling | DL – WA – 05771 ASTM D5771 | VOP |
| 10. | Gasoil | Determination of the pour point: automatic tilt method | DL – WA – 05950 ASTM D5950 | VOP |
| 11. | Gasoline | Determination of saturates, olefins, aromatics, naphthenes, oxygenates and benzene; GC | DL – WA - 06839 ASTM D6839 | LLS |
| 12. | Gasoil | Determination of the cold filter plugging point (CFPP); automatic | DL – WI – 00309 IP 309 | LLS, VOP |
| 13. | Petroleum products | Determination of the kinematic viscosity at 40 °C; automatic | DL – WA – 0445 ASTM D445 | LLS |
| 14. | Petroleum products | Determination of the kinematic viscosity at 40 °C and 50 °C; automatic | DL – WA – 0445 ASTM D445 | VOP |