Annex to declaration of accreditation (scope of accreditation)
Normative document: EN ISO/IEC 17025:2017
Registration number: **L 598**

of **Normec QS B.V.**

This annex is valid from: **01-01-2026** to **01-08-2027** Replaces annex dated: **13-03-2024**

## Location(s) where activities are performed under accreditation

### Head Office

Galvanistraat 119
6717 AE
Ede
The Netherlands

| Location | Abbreviation/ location code |
|---|---|
| Galvanistraat 119<br>6717 AE<br>Ede<br>The Netherlands | Ed |

| No. | Material or product | Type of activity[1] | Internal reference number | Location |
|---|---|---|---|---|
| 1. | Plastic piping systems | Determination of the tensile strength and failure behavior of specimens from PE butt-fused joint | W33.1<br>NEN 7200 par. 6.3<br>ISO 13953<br>ISO 527-1<br>ISO 527-2 | ED |
| 2. | | Determination of peel decohesion characteristics of specimens from PE electrofusion assemblies ≥ 90 mm | W33.2<br>ISO 13954<br><br>W33.13<br>NTA 8828 par. 5.4.8.3.3.3<br>ISO 13954 | |

[1] If there is a referral to a code starting with NAW, NAP, EA or IAF, this concerns a scheme mentioned on the RvA-BR010-lijst.
If no date or version number is mentioned for a normative document, the accreditation concerns the most current version of the document or scheme.

This annex has been approved by the Board of the Dutch Accreditation Council, on its behalf,

J.A.W.M. de Haas

Annex to declaration of accreditation (scope of accreditation)
Normative document: EN ISO/IEC 17025:2017
Registration number: **L 598**

of **Normec QS B.V.**

This annex is valid from: **01-01-2026** to **01-08-2027** Replaces annex dated: **13-03-2024**

| No. | Material or product | Type of activity[1] | Internal reference number | Location |
|---|---|---|---|---|
| 3. | Plastic piping systems | Determination and evaluation of failure behavior of PE saddle fusion joint under decohesion testing, for the assessment of joint toughness | W33.3<br>ISO 13956<br><br>W33.14<br>NTA 8828 par. 5.4.8.3.3.3<br>ISO 13956 | |
| 4. | | Determination of decohesion characteristics of specimens from PE electrofusion assemblies <90 mm under crushing | W33.4<br>ISO 13955<br><br>W33.15<br>NTA 8828 par. 5.4.8.3.3.3<br>ISO 13955 | |
| 5. | Plastic sheet and welding joints | Determination of tensile properties of as-received and aged specimens (type 1B) from plastic sheet with nominal strain according to method A or B | W33.5 and W33.11<br>ISO 527-1<br>ISO 527-2 | |
| 6. | | Determination of tensile impact strength and failure behavior of as-received and aged specimens from plastic sheet | W33.7 and W33.11<br>Dutch protocols on geosynthetic barriers;Part I: Materials, version (1999) TNO-rapport, Div499, 1097 and version (2018) NEN UIT 83 | |
| 7. | Plastic sheet and welding joints | Determination of tensile impact strength and failure behavior of specimens from welded joint | W33.8<br>Dutch protocols on geosynthetic barriers; Part I: Materials, version (1999) TNO-rapport, Div499, 1097 and version (2018) NEN UIT 83;<br><br>Part II: Installation and acceptance, version (1999) TNO-rapport, Div499, 1098 and version (2018) NEN UIT 84 | |
| 8. | Plastic sheet and welding joints | Determination of failure behaviour of specimens from welded joint under peel load | W33.9<br>Dutch protocols on geosynthetic barriers; Part I: Materials, version (1999) TNO-rapport, Div499, 1097 and version (2018) NEN UIT 83;<br><br>Part II: Installation and acceptance, version (1999) TNO-rapport, Div499, 1098 and version (2018) NEN UIT 84 | |
| 9. | | Determination of yield stress of specimens | W33.12<br>ISO 527-1<br>ISO 527-2 | |
| 10. | Plastics (raw material or sample from product) | Determination of Oxidation Induction Time (OIT); thermal analysis | W33.20<br>ISO 11357-6 | |
| 11. | Soil and geoplastic product (e.g. | Determination of water content soil; gravimetric method | W33.19<br>EN 1097-5 | |

Annex to declaration of accreditation (scope of accreditation)
Normative document: EN ISO/IEC 17025:2017
Registration number: **L 598**

of **Normec QS B.V.**

This annex is valid from: **01-01-2026** to **01-08-2027** Replaces annex dated: **13-03-2024**

| No. | Material or product | Type of activity[1] | Internal reference number | Location |
|---|---|---|---|---|
| 12. | membrane, non-woven, textile and drainage mat) | Determination of density; Proctor compaction | W33.19<br>EN 13286-2 | |
| 13. | | Determination of friction characteristics: inclined plane test. | W33.19<br>ISO 12957-2 | |
| 14. | Plastic joints (between films, film-sheet or sheets) | Determination of tensile properties – strength and failure behaviour | W33.23<br>H 33.1<br>ISO 527-1<br>ISO 527-2<br>ISO 527-3 | |
| 15. | Plastics (from film, sheet or pipe) | Determination of tensile properties – stress at yield, strength, strain at yield, strain at break, tensile modulus | W33.6<br>ISO 527-1<br>ISO 527-2<br>ISO 527-3 | |