

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 334**

of **Peutz B.V.**

This annex is valid from: **03-07-2024** to **01-03-2028**

Replaces annex dated: **15-02-2024**

Location(s) where activities are performed under accreditation

Head Office

Lindenlaan 41
 6584 AC
 Molenhoek (Limburg)
 The Netherlands

Location	Abbreviation/ location code
Lindenlaan 41 6584 AC Molenhoek (Limburg) The Netherlands	MOL
Klopsteen 4a 5443 PW Haps The Netherlands	HAPS
On-site	OS

No.	Material or product	Type of activity ¹	Internal reference number	Location
Acoustics				
1	Materials and objects	Determination of the sound absorption (reverberation room method)	HKL A1.1 ISO 354 (single-number quantity ISO 11654 and ASTM C423)	MOL

¹ If there is a referral to a code starting with NAW, NAP, EA or IAF, this concerns a scheme mentioned on the [RvA-BR010-lijst](#).
 If no date or version number is mentioned for a normative document, the accreditation concerns the most current version of the document or scheme.

This annex has been approved by the Board of the
 Dutch Accreditation Council, on its behalf,

J.A.W.M. de Haas
 Director of Operations

of **Peutz B.V.**

This annex is valid from: **03-07-2024** to **01-03-2028**

Replaces annex dated: **15-02-2024**

No.	Material or product	Type of activity ¹	Internal reference number	Location
2		Determination of the airborne sound insulation of: - building elements - ceilings - small building elements	HKL A2.1 ISO 10140-2 HKL A2.2 ISO 10848 HKL A2.3 ISO 10140-2 (single-number quantity ISO 717-1, NEN 5079 (1990), NPR 5079, NBN S 01-400(1977), NF S 31-051 (1985), ASTM E413 and ASTM E1414)	MOL
3	Materials and objects	Determination of the impact sound insulation of: - floors - floor coverings	HKL A3.1 ISO 10140-3 HKL A3.2 ISO 10140-3 "TÜV testprotocol contactgeluid" (single-number quantity ISO 717-2, NEN 5079 (1990), NPR 5079 and NBN S 01-400 (1977))	MOL
4		Determination of the noise emission (appliance sound pressure level)	HKL A6.1 ISO 3822 (single-number quantity EN 200, EN 246, EN 817 and EN 1112)	MOL
5		Determination of sound power levels (reverberation room method)	HKL A4.1 ISO 3741	MOL
Building Physics				
6	Residential ventilation units including heat recovery (ducted mechanical supply and exhaust ventilation units)	Determination of air temperature, air pressure, relative humidity, volumetric flow, electrical voltage and electrical capacity	HKL BF1.1 EN 13141-7	MOL
Wind Turbines				
7	Wind turbines	Determination of sound power levels; microphone, anemometer and power meter	HKL W 1.1 IEC 61400-11	OS

of **Peutz B.V.**

This annex is valid from: **03-07-2024** to **01-03-2028**

Replaces annex dated: **15-02-2024**

No.	Material or product	Type of activity ²	Internal reference number	Location
Fire safety				
8	Various building parts and installations, partitions, ceilings, doors and shutters, floors and roofs, straight joints and seams, seals for penetrations	Fire resistance tests on building components and installations	HKL B0.1 NEN 6069	HAPS
9	Non-loadbearing elements: Walls	Fire resistance tests	HKL B1.1 EN 1364-1, EN 1363-1 and EN 1363-2	HAPS
10	Non-loadbearing elements: Ceilings	Fire resistance tests	HKL B1.2 EN 1364-2, EN 1363-1 and EN 1363-2	HAPS
11	Doors, shutters and openable windows		HKL B3.1 EN 1634-1, EN 1634-2, EN 1363-1 and EN 1363-2	HAPS
12	Load bearing elements: Floors and roofs		HKL B2.1 EN 1365-2, EN 1363-1 and EN 1363-2	HAPS
13	Service installations: linear joint seals		HKL B4.1 EN 1366-4, EN 1363-1 and EN 1363-2	HAPS
14	Service installations: Penetration seals		HKL B4.2 EN 1366-3, EN 1363-1 and EN 1363-2	HAPS
15	Building products	Reaction to fire test; SBI methode	HKL B5.1 EN 13823	HAPS
16		Reaction to fire test; small flame	HKL B5.2 EN ISO 11925-2	HAPS
17		Determination of the heat of combustion; bomb calorimeter	HKL B5.3 EN ISO 1716 and EN ISO 1716:2010	HAPS
18	Doors and shutters	Determination and classification of the smoke leakage	HKL B6.1 EN 1634-3 and EN 13501-2	MOL

² If there is a referral to a code starting with NAW, NAP, EA or IAF, this concerns a scheme mentioned on the [RvA-BR010-lijst](#).

If no date or version number is mentioned for a normative document, the accreditation concerns the most current version of the document or scheme.

of **Peutz B.V.**

This annex is valid from: **03-07-2024** to **01-03-2028**

Replaces annex dated: **15-02-2024**

No.	Material or product	Type of activity ²	Internal reference number	Location
19	Construction products and building elements	Testing and classification of fire resistance for tests related to this scope	HKL B8.1 EN 13501-2, EN 1364-1, EN 1364-2, EN 1634-1, EN 1365-2, EN 1366-3 and EN 1366-4	HAPS
20	Building products	Testing and classification of fire resistance for tests related to this scope	HKL B8.2 EN 13501-1, EN 13823, EN ISO 11925-2 EN ISO 1716 and EN ISO 1716:2010	HAPS
21	Roofing materials	Determination of the performance of roofs to external fire exposure (min and mm)	HKL B5.4 NEN 6063 CEN/TS 1187 (t1)	HAPS
22	Roofing materials	Determination and classification of the performance of roofs to external fire exposure ($B_{\text{roof}}(t1)$ or $F_{\text{roof}}(t1)$)	HKL B8.2 EN 13501-5 (t1) CEN/TS 1187 (t1) NEN 6063	HAPS

Opinions and interpretations

23	Non-loadbearing constructions or elements, loadbearing constructions or elements, service installations and doors, shutters and openable windows	Extended application (EXAP) of testing of fire resistance (EN 1364-1, EN 1364-2, EN 1365-2, EN 1366-3, EN 1366-4 and EN 1634-1)	HKL B7.1 EN 15725, prEN 15254-1, EN 15254-2, EN 15254-3, EN 15254-4, EN15254-5, EN 15254-7, EN 15882-3, EN 15882-4, EN 15269-1, EN 15269-2, EN 15269-3, prEN 15269-4, EN 15269-5, prEN 15269-6, EN 15269-7, EN 15269-10 and EN 15269-11	HAPS
24	Building products	Extended application (EXAP) of testing of reaction to fire (EN 13823, EN ISO 11925-2, EN ISO 1716:2010 and EN ISO 1716:2018)	HKL B7.1 EN 15725 and CEN/TS 15117	HAPS
25	Doors and shutters, operable textile screens and openable windows	Extended application (EXAP) of testing smoke leakage (EN 1634-3)	HKL B7.1 EN 15725, EN 15269-1 and EN 15269-20	HAPS
26	Roofs and roofing materials	Extended application (EXAP) of determination of the performance of roofs and roofing materials to external fire exposure (CEN/TS 1187)	HKL B7.1 EN 15725 CEN/TS 16459 Annex	HAPS

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 334**

of **Peutz B.V.**

This annex is valid from: **03-07-2024** to **01-03-2028**

Replaces annex dated: **15-02-2024**

**The accreditation for the activities below is suitable for notification
 The notification is restricted to the test activities mentioned above**

**European Construction Products Regulation 305/2011
 System 3 Verification of constancy of performance**

Product area 2

27.	Decision 99/93/EC	DOORS, WINDOWS, SHUTTERS, BLINDS, GATES AND RELATED BUILDING HARDWARE (1/1) Building hardware related to doors, gates and windows (any other)	EN 1125:2008 EN 1154:1996/A1:2002 EN 1154:1996/A1:2002/AC:2006 EN 1155:1997/A1:2002 EN 1155:1996/A1:2002/AC:2006 EN 1158:1997/A1:2002 EN 1158:1997/A1:2002/AC:2006 EN 179:2008 EN 1935:2002 EN 1935:2002/AC:2003 EN 13830:2003	HAPS
-----	-------------------	---	--	------

Product area 4

28.	Decision 99/91/EC	THERMAL INSULATING PRODUCTS (1/2) Thermal insulating products (factory-made products and products intended to be formed in-situ) (any)	EN 13162:2012+A1:2015	MOL
29.	Decision 99/91/EC	THERMAL INSULATING PRODUCTS (2/2) Thermal insulating products (factory-made products and products intended to be formed in-situ) (for uses subject to regulations on reaction to fire)	EN 13162:2012+A1:2015 EN 13164:2012+A1:2015	HAPS

of **Peutz B.V.**

This annex is valid from: **03-07-2024** to **01-03-2028**

Replaces annex dated: **15-02-2024**

Product area 7				
30.	Decision 95/467/EC	GYPSUM PRODUCTS (1/4) Plasterboards and ceiling elements with thin laminations, fibrous gypsum boards, and composite panels (laminates) in which the incorporated material is placed on a face susceptible to be exposed to fire, including relevant ancillary products. In walls, partitions or ceilings (or lining thereof) subject to reaction to fire requirements	EN 12859:2011 EN 520:2004+A1:2009	HAPS
31.	Decision 95/467/EC	GYPSUM PRODUCTS (2/4) Plasterboards and ceiling elements with thin laminations, fibrous gypsum boards, fibrous gypsum plaster casts, and composite panels (laminates), in which the incorporated material is placed on a face susceptible to be exposed to fire, including relevant ancillary products (in walls, partitions or ceilings (or lining thereof) subject to reaction to fire requirements)	EN 12859:2011 EN 520:2004+A1:2009	MOL/ HAPS
32.	Decision 95/467/EC	GYPSUM PRODUCTS (3/4) Plasterboards, including relevant ancillary products (for stiffening timber-framed windload bearing walls or timber roof struss structures)	EN 12859:2011 EN 520:2004+A1:2009	MOL
Product area 9				
33.	Decision 96/580/EC	CURTAIN WALLINGS (1/1) Curtain wall kits (As external walls subject to reaction to fire requirements)	EN 13830:2003	MOL

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 334**

of **Peutz B.V.**

This annex is valid from: **03-07-2024 to 01-03-2028**

Replaces annex dated: **15-02-2024**

Product area 12				
34.	Decision 96/579/EC	CIRCULATION FIXTURES (2/2) Road traffic noise reducing devices and barriers Anti-glare screens (for circulation areas)	EN 14388:2005 EN 14388:2005/AC:2008 EN 1793-1 EN 1793-2 EN 1793-3	MOL
Product area 14				
35.	Decision 97/462/EC	WOOD-BASED PANELS (2/2) Unfaced, overlaid and veneered or coated wood-based panels For non structural elements in internal or external applications	EN 13986:2004+A1:2015	HAPS
Product area 19				
36.	Decision 97/808/EC	FLOORINGS (2/2) Rigid flooring products a) Components: Paving units, tiles, mosaics, parquet, decking of mesh or sheet, floor gratings, rigid laminated floorings, wood based products b) load bearing systems put on the market as kits Raised access floors; cavity floors Resilient and textile floorings Homogeneous and heterogeneous resilient floor coverings supplied either in tile, sheet or roll form (textile floor covering including tiles; plastic and rubber sheets (aminoplastic thermosetting floorings); linoleum and cork; anti-static sheet; floor loose laid tiles; resilient laminated floorings)	EN 14342:2013	HAPS

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 334**

of **Peutz B.V.**

This annex is valid from: **03-07-2024** to **01-03-2028**

Replaces annex dated: **15-02-2024**

Product area 21				
37.	Decision 98/213/EC	INTERNAL PARTITION KITS (1/5) Internal partition kits (for uses subject to reaction to fire requirements)	EAD 090010-00-0404 EAD 210005-00-0505	HAPS
38.	Decision 98/213/EC	INTERNAL PARTITION KITS (2/5) Internal partition kits (for fire compartmentation)	EAD 090010-00-0404	HAPS
39.	Decision 98/213/EC	INTERNAL PARTITION KITS (2/5) Internal partition kits for use as non-loadbearing walls (fire partitioning)	EAD 210005-00-0505	HAPS
40.	Decision 98/437/EC	INTERNAL AND EXTERNAL WALL AND CEILING FINISHES (1/5) Panels (as internal or external finishes, as complete elements, used for fire protection of walls or ceilings) Suspended ceilings (kits) (as internal or external finishes used for fire protection of ceilings)	EN 13964:2014	MOL

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 334**

of **Peutz B.V.**

This annex is valid from: **03-07-2024** to **01-03-2028**

Replaces annex dated: **15-02-2024**

41.	Decision 98/437/EC	<p>INTERNAL AND EXTERNAL WALL AND CEILING FINISHES (2/5)</p> <p>Panels (as internal or external stiffening elements in walls or ceilings)</p> <p>Tiles Panels (of brittle materials) (as internal or external finishes in walls or ceilings subject to requirements against accidental injuries from cutting objects)</p> <p>Suspended ceilings (kits) (as internal or external finish in ceilings subject to safety in use requirements)</p> <p>Tiles Panels (in internal or external suspended ceilings subject to safety in use requirements)</p> <p>Featured profiles Suspending frames (to support internal or external wall or ceiling finishes and suspended ceilings subject to safety in use requirements)</p>	EN 13964:2014	MOL
-----	--------------------	---	---------------	-----

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 334**

of **Peutz B.V.**

This annex is valid from: **03-07-2024 to 01-03-2028**

Replaces annex dated: **15-02-2024**

42.	Decision 98/437/EC	<p>INTERNAL AND EXTERNAL WALL AND CEILING FINISHES (3/5)</p> <p>Coverings in roll form Linings (as internal finishes in walls or ceilings subject to reaction to fire regulations)</p> <p>Shingles Cladding slabs (as external finishes in walls or ceilings subject to reaction to fire regulations)</p> <p>Suspended ceilings (kits) (as internal or external finishes in ceilings subject to reaction to fire regulations)</p> <p>Suspended ceilings (kits) (as internal or external finishes in ceilings subject to reaction to fire regulations)</p> <p>Tiles Sidings Panels (as internal or external finishes in walls or ceilings subject to reaction to fire regulations)</p> <p>Featured profiles Suspending frames (to support internal or external wall or ceiling finishes, or suspended ceilings, subject to reaction to fire regulations)</p>	<p>EN 13964:2014</p> <p>EN 14509:2013</p> <p>EN 14716:2004</p>	MOL/HAP S
-----	--------------------	---	--	--------------

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 334**

of **Peutz B.V.**

This annex is valid from: **03-07-2024 to 01-03-2028**

Replaces annex dated: **15-02-2024**

43.	Decision 98/437/EC	<p>INTERNAL AND EXTERNAL WALL AND CEILING FINISHES (4/5)</p> <p>Suspended ceilings (kits) (as internal or external finishes in walls or ceilings subject to regulations on dangerous substances)</p> <p>Tiles Shingles Sidings Cladding slabs Panels (as internal or external finishes in walls or ceilings, as relevant, subject to regulations on dangerous substances)</p>	EN 13964:2014	MOL
-----	--------------------	---	---------------	-----

Product area 22

44.	Decision: 98/436/EC	<p>ROOF COVERINGS, ROOFLIGHTS, ROOF WINDOWS AND ANCILLARY PRODUCTS (2/6)</p> <p>Flat and profiled sheets</p> <p>Roofing tiles, slates, stones and shingles</p> <p>Factory-bonded composite or sandwich panels</p> <p>Rooflights</p> <p>Roof windows</p> <p>Fascias and soffit boards (for uses subject to reaction to fire regulations)</p>	EN 1873:2005	HAPS
-----	---------------------	---	--------------	------

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 334**

of **Peutz B.V.**

This annex is valid from: **03-07-2024 to 01-03-2028**

Replaces annex dated: **15-02-2024**

45.	Decision 98/600/EC	SELF-SUPPORTING TRANSLUCENT ROOF KITS (EXCEPT GLASS-BASED KITS) (3/3) Self-supporting translucent roof kits (except glass-based kits)	EAD 220089-00-0401	HAPS
46.	Decision: 99/90/EC MEMBRANES (2/3)	Roof sheets (for uses subject to external fire performance regulations)	EN 13707:2004+A2:2009 EN 13956:2012	HAPS
47.	Decision: 99/90/EC MEMBRANES (3/3)	Roof sheets (for uses subject to external fire performance regulations)	EN 13707:2004+A2:2009	HAPS

Product area 30

48.	Decision 2000/245/EC	FLAT GLASS, PROFILED GLASS AND GLASS-BLOCK PRODUCTS (1/6) Flat or curved glass panels Channe-shaped glass Insulating glass units (for use in glazed aassembly intended specifically to provide fire resistance) Glass-block wall panels (for fire compartmentation)	EN 1279-5:2018 EN 1096-4:2018 EN 12150-2:2004 EN 12337-2:2004 EN 13024-2:2004 EN 14178-2:2004 EN 14179-2:2005 EN 14321-2:2005 EN 14449:2005 EN 14449:2005/AC:2005 EN 1748-1-2:2004 EN 1748-2-2:2004 EN 1863-2:2004 EN 572-9:2004	HAPS
-----	----------------------	---	---	------

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 334**

of **Peutz B.V.**

This annex is valid from: **03-07-2024 to 01-03-2028**

Replaces annex dated: **15-02-2024**

49.	Decision 2000/245/EC	FLAT GLASS, PROFILED GLASS AND GLASS-BLOCK PRODUCTS (2/6) Flat or curved glass panels Channel-shaped glass Insulating glass units Glass blocks Glass-block wall panels (for uses subject to reaction to fire regulations)	EN 1279-5:2018 EN 12758 EN 1096-4:2018 EN 12150-2:2004 EN 12337-2:2004 EN 13024-2:2004 EN 14178-2:2004 EN 14179-2:2005 EN 14321-2:2005 EN 14449:2005 EN 14449:2005/AC:2005 EN 1748-1-2:2004 EN 1748-2-2:2004 EN 1863-2:2004	MOL/ HAPS
-----	----------------------	--	--	--------------

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 334**

of **Peutz B.V.**

This annex is valid from: **03-07-2024 to 01-03-2028**

Replaces annex dated: **15-02-2024**

50.	Decision 2000/245/EC	FLAT GLASS, PROFILED GLASS AND GLASS-BLOCK PRODUCTS (3/6) Flat or curved glass panels Channel-shaped glass Insulating glass units (for uses subject to external fire performance regulations)	EN 1279-5:2018 EN 12758 EN 1096-4:2018 EN 12150-2:2004 EN 12337-2:2004 EN 13024-2:2004 EN 14178-2:2004 EN 14179-2:2005 EN 14321-2:2005 EN 14449:2005 EN 14449:2005/AC:2005 EN 1748-1-2:2004 EN 1748-2-2:2004 EN 1863-2:2004 EN 572-9:2004	MOL/HAP S
-----	----------------------	--	---	--------------

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 334**

of **Peutz B.V.**

This annex is valid from: **03-07-2024 to 01-03-2028**

Replaces annex dated: **15-02-2024**

51.	Decision 2000/245/EC	FLAT GLASS, PROFILED GLASS AND GLASS-BLOCK PRODUCTS (4/6) Flat or curved glass panels Insulating glass units Glass-block Glass-block wall panels (for use as anti-bullet, or anti explosion glazing) Glass-block wall panels (for other uses liable to present 'safety-in-use' risk and subject to such regulation	EN 1279-5:2018 EN 12758 EN 1036-2:2008 EN 1096-4:2018 EN 12150-2:2004 EN 12337-2:2004 EN 13024-2:2004 EN 14178-2:2004 EN 14179-2:2005 EN 14321-2:2005 EN 14449:2005 EN 14449:2005/AC:2005 EN 1748-1-2:2004 EN 1748-2-2:2004 EN 1863-2:2004 EN 572-9:2004	MOL
-----	----------------------	--	---	-----

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 334**

of **Peutz B.V.**

This annex is valid from: **03-07-2024 to 01-03-2028**

Replaces annex dated: **15-02-2024**

52.	Decision 2000/245/EC	FLAT GLASS, PROFILED GLASS AND GLASS-BLOCK PRODUCTS (5/6) Flat or curved glass panels (specially treated) Channel-shaped glass Insulating glass units Glass blocks Glass-block wall panels (for uses relating to energy conservation and/or noise reduction)	EN 1279-5:2018 EN 12758 EN 10224:2002 EN 10224:2002/A1:2005 EN 1036-2:2008 EN 1096-4:2018 EN 12150-2:2004 EN 12337-2:2004 EN 13024-2:2004 EN 14178-2:2004 EN 14179-2:2005 EN 14321-2:2005 EN 14449:2005 EN 14449:2005/AC:2005 EN 1748-1-2:2004 EN 1748-2-2:2004 EN 1863-2:2004 EN 572-9:2004	MOL
Product area 35				
53.	Decision 99/454/EC	FIRE STOPPING, FIRE SEALING AND FIRE PROTECTION PRODUCTS (2/2) Fire stopping and fire sealing products Fire protective products (including coatings) (for uses subject to reaction of fire regulations)	EAD 350140-00-1106 EAD 350141-00-1106 EAD 350142-00-1106 EAD 350402-00-1106 EAD 350454-00-1104 ETAG 026-4 ETAG 026-5	HAPS

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 334**

of **Peutz B.V.**

This annex is valid from: **03-07-2024** to **01-03-2028**

Replaces annex dated: **15-02-2024**

**The accreditation for the activities below is suitable for notification
 The notification is restricted to the test activities mentioned above**

**European Construction Products Regulation 305/2011
 System 3 Verification of constancy of performance**

Horizontal notification (CPR Annex V.3)

54.	Building products	Noise absorption	EN ISO 354	MOL
55.			EN ISO 10140-3	MOL
56.		Resistance to fire	EN 1634-1	HAPS
57.			EN 1634-2	HAPS
58.			EN 1634-3	MOL
59.			EN 1364-1	HAPS
60.			EN 1364-2	HAPS
61.			EN 1365-2	HAPS
62.			EN 1366-3	HAPS
63.		EN 1366-4	HAPS	
64.		Reaction to fire	EN 13823	HAPS
65.			EN ISO 11925-2	HAPS
66.			EN ISO 1716	HAPS
67.		External fire performance	TS 1187	HAPS